

Page 1 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

PAG OIL ISO 46 250 ml

Art.: ACPL 19 000P / 72526513

## 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant

## **Uses advised against:**

No information available at present.

## 1.3 Details of the supplier of the safety data sheet

MAHLE Aftermarket GmbH Schorndorfer Str. 96 73614 Schorndorf Deutschland

Telefon: +49 (0) 7907 9446 48331 Fax: +49 (0) 711 8902 48331

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

## Emergency information services / official advisory body:

Œ

+49 228 19240 (D-53113 Bonn, 24 hour)

### Telephone number of the company in case of emergencies:

---

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

## 2.2 Label elements

## Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).





Page 2 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

n.a.

#### 3.2 Mixtures

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	
Classification according to Regulation (EC) 1272/2008 (CLP), M-	
factors	

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

## Ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do not induce vomiting. Consult doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

## 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

#### Unsuitable extinguishing media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:





Page 3 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

Oxides of carbon Toxic gases

### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

## 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

## 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

## 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store in a well ventilated place.





Page 4 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

Store cool.

Suitable container:

Stainless steel (alloy steel)

## 7.3 Specific end use(s)

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

---

## 8.2 Exposure controls

## 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

30

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.





Page 5 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls

No information available at present.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state: Liquid

Colour: Colourless, Light yellow

Odour: Characteristic

Melting point/freezing point:

There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

There is no information available on this parameter.

Lower explosion limit:

There is no information available on this parameter.

Lower explosion limit:

Upper explosion limit:

There is no information available on this parameter.

There is no information available on this parameter.

Flash point: 200 °C

Auto-ignition temperature: There is no information available on this parameter.

Decomposition temperature: There is no information available on this parameter.

H: Mixture is non-soluble (in water).

Kinematic viscosity: 45 mm2/s (40°C, ASTM D 445)

Solubility: Insoluble

Partition coefficient n-octanol/water (log value):

Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density: 0,9893 g/cm3 (15°C, ASTM D 1298)

Relative vapour density: There is no information available on this parameter.

Particle characteristics: Does not apply to liquids.

## 9.2 Other information

No information available at present.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

## 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

## 10.4 Conditions to avoid

Heating, open flame, ignition sources

## 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).





Page 6 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

Acute toxicity, by dermal route:  Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE): Aspiration hazard:	Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
route: Acute toxicity, by inhalation: Skin corrosion/irritation: Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by inhalation:  Skin corrosion/irritation:  Serious eye damage/irritation:  Respiratory or skin sensitisation:  Germ cell mutagenicity:  Carcinogenicity:  Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE):  Specific target organ toxicity - repeated exposure (STOT- RE):  Aspiration hazard:	Acute toxicity, by dermal						n.d.a.
Skin corrosion/irritation:  Serious eye damage/irritation:  Respiratory or skin sensitisation:  Germ cell mutagenicity:  Carcinogenicity:  Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE):  Specific target organ toxicity - repeated exposure (STOT- RE):  Aspiration hazard:	route:						
Serious eye damage/irritation: Respiratory or skin sensitisation: Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Acute toxicity, by inhalation:						n.d.a.
damage/irritation:  Respiratory or skin sensitisation:  Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Skin corrosion/irritation:						n.d.a.
Respiratory or skin sensitisation:  Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT-RE):  Aspiration hazard:	Serious eye						n.d.a.
sensitisation:  Germ cell mutagenicity:  Carcinogenicity:  Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE):  Specific target organ toxicity - repeated exposure (STOT- RE):  Aspiration hazard:	damage/irritation:						
Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Respiratory or skin						n.d.a.
Carcinogenicity:  Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE):  Specific target organ toxicity - repeated exposure (STOT- RE):  Aspiration hazard:	sensitisation:						
Reproductive toxicity:  Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Germ cell mutagenicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE): Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Carcinogenicity:						n.d.a.
single exposure (STOT-SE):  Specific target organ toxicity - repeated exposure (STOT- RE):  Aspiration hazard:	Reproductive toxicity:						n.d.a.
Specific target organ toxicity - repeated exposure (STOT- RE): Aspiration hazard:	Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):  Aspiration hazard:  n.d							
RÉ): Aspiration hazard: n.d	Specific target organ toxicity -						n.d.a.
Aspiration hazard: n.d	repeated exposure (STOT-						
	RE):						
Symptoms:	Aspiration hazard:						n.d.a.
	Symptoms:						n.d.a.

## 11.2. Information on other hazards

PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Endocrine disrupting						Does not apply		
properties:						to mixtures.		
Other information:						No other		
						relevant		
						information		
						available on		
						adverse effects		
						on health.		

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

PAG OIL ISO 46 250 m	ı			,	,		
Art.: ACPL 19 000P / 72	2526513						
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.





Page 7 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

12.7. Other adverse				No information
effects:				available on
				other adverse
				effects on the
				environment.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 06 synthetic engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

## For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## **SECTION 14: Transport information**

### **General statements**

14.1. UN number or ID number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

n.a.

14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.





. (B)

Page 8 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0 %

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## **SECTION 16: Other information**

Revised sections:

n.a.

## Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

#### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service





- (B)

Page 9 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community
ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

**IUCLIDInternational Uniform Chemical Information Database** 

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)





Page 10 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 05.08.2022 / 0001

Replacing version dated / version: 05.08.2022 / 0001

Valid from: 05.08.2022 PDF print date: 08.08.2022 PAG OIL ISO 46 250 ml Art.: ACPL 19 000P / 72526513

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

## Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.

