

GREAT PARTS FOR GREAT ENGINES REPLACEMENT PARTS FOR 7.3L POWER STROKE®

REPLACEMENT PARTS OFFERING

AFTERMARKET



The product listings included are for the 7.3L Power Stroke for the following applications: Ford F-Series and E-Series; 1994-2003

### **CYLINDER COMPONENTS**

PART #	DESCRIPTION	NOTES
2243163	Piston	Coated Skirt, Standard Compression Ratio
2243163010		
2243163020		
2243163030		
2243163040		
2243163WR	Piston w/Rings	Coated Skirt, Standard Compression Ratio
2243163WR020		
2243163WR030		
2243163WR040		
2243409	Piston	Coated Skirt, Reduced Compression Ratio
2243409010		
2243409020		
2243409030		
2243409040		
2243409WR	Piston w/Rings	Coated Skirt, Reduced Compression Ratio
2243409WR010		
2243409WR020		
2243409WR030		
2243409WR040		
41768	Piston Ring Set	Plasma-Moly Carbon Steel
41768.010		
41768.020		
41768.030		
41768.040		
S41768	Piston Ring	Plasma-Moly Carbon Steel (Single Cylinder Set)
S41768.010		
S41768.020		
S41768.030		
S41768.040		

#### **FILTERS**

PART #	DESCRIPTION	NOTES
LX 2569	Air Filter	1995-2003 E-Series
LX 2928	Air Filter	1999-2003 F-series, 2001-2003 Excursion

### **ENGINE GASKETS**

PART #	DESCRIPTION	NOTES
HS54204A	Head Gasket Set	Valve Cover Set not Included, Without Cylinder Head Bolts, Intake Manifold Gasket not Included, Use with VS50329 or VS50328, Fuel Injection O-Rings Not Included, Use with GS33440 (8)
CS54204A	Conversion Set	Use with Head Set to Make Full Set
95-3584	Engine Full Gasket Set	Valve Cover Set not Included, Without Cylinder Head Bolts, Intake Manifold Gasket not Included, Use with VS50329 or VS50328, Fuel Injection O-Rings Not Included, Use with GS33440 (8)
54204	Head Gasket	
GS33379	Head Bolt Set	
VS50328	Valve Cover Set	Single Valve Cover
VS50329	Valve Cover Set	Single Valve Cover
B45897	Valve Stem Set	Position Exhaust & Intake
MS16314	Exhaust Manifold Set	
67628	Engine Crankshaft Seal	Teflon
JV5059	Timing Cover Set	Sealant Included, Oil Pump Gasket Included
JV5060	Timing Cover Set	Sealant Included, Oil Pump Gasket Included
67631	Timing Cover Seal	
P38155TC	Differential Carrier Gasket	With Ford WDD, WDR, WDS, WFA, WFD, WFL Axle with 12 Bolt Holes
P18562	Axle Housing Cover Gasket	Position Rear with Dana 60, 70 Axle, with 10 Bolt Holes, Size-11" x 12"
P27608TC	Axle Housing Cover Gasket	With 10 Bolt Holes, Size- 10 1/2" x 11"
P27768T	Axle Housing Cover Gasket	Position Front with 10 Bolt Holes, with Dana 44 Axle
P38163TC	Axle Housing Cover Gasket	Position Rear with 10 Bolt Holes
C32036	Engine Coolant Gasket	Upper - Outlet
C32631	Engine Coolant Gasket	Lower - Inlet
F14627	Exhaust Pipe Flange Gasket	Intermediate Pipe To Muffler Flange Gasket
GS33440	Fuel Injection Nozzle O-Ring	1 Package Will Service 1 Injector
GS33716	Exhaust Pipe Gasket	Turbocharger Up-Pipe Donut Seals
B32600	Oil Pump Gasket	High Pressure Pump Mounting Gasket
GS33680	Engine Oil Cooler Mounting Kit	Contains Oil Cooler Adapter to Block Gaskets, and Oil Cooler Seals
GS33545	Engine Oil Cooler Seal	Oil Cooler Seal Kit
JV8	Engine Sealing Compound	RTV Silicone Sealant, Conventional Oil Pan Gasket not Available, Use Silicone Sealant
K31779	Engine Water Pump Gasket	Molded Rubber

#### **ENGINE BEARINGS**

PART #	DESCRIPTION	NOTES
CB1633P	Rod Bearing	TM-112 (TriMetal™)
CB1633P-10		
CB1633P-20		
CB1633P-30		
CB1633P-40		
MS2034P	Main Bearing Set	TM-112 (TriMetal™)
MS2034P-10		
MS2034P-20		
MS2034P-30		
SH-1092S	Camshaft Bearing Set	B-1

## TURBOCHARGERS

PART #	DESCRIPTION	NOTES
014 TC 24007 100	Turbocharger w/ Pedestal	Remanufactured, 1994-1998.5 F-Series, 1995-1998.5 E-Series, Wastegate Actuator Included: No, Turbocharger Cooling Method: Oil Only, A/R: 1.15
144 TC 24007 100	Turbocharger Only	Remanufactured, 1994-1998.5 F-Series, 1995-1998.5 E-Series, Wastegate Actuator Included: No, Turbocharger Cooling Method: Oil Only, A/R: 1.15
014 TC 26158 000	Turbocharger Only	New, 1994-1998.5 F-Series, 1995-1998.5 E-Series, Wastegate Actuator Included: No, Turbocharger Cooling Method: Oil Only, A/R: 1.15
144 TC 24008 000	Turbocharger Only	New, 1994-1998.5 F-Series, 1995-1998.5 E-Series, Wastegate Actuator Included: No, Turbocharger Cooling Method: Oil Only, A/R: 1.00
144 TC 24010 000	Turbocharger Only	New, 1994-1998.5 F-Series, 1995-1998.5 E-Series, Wastegate Actuator Included: No, Turbocharger Cooling Method: Oil Only, A/R: 0.84
144 TP 24007 100	Turbocharger Pedestal	Remanufactured, For 144 TC 24007 100
014 TC 24006 100	Turbocharger w/ Pedestal	Remanufactured, 1998.5-1999.5 F-Series, Wastegate Actuator Included: Yes, Turbocharer Cooling Method: Oil Only
014 TC 24005 100	Turbocharger Only	Remanufactured, 1998.5-1999.5 F-Series, Wastegate Actuator Included: Yes, Turbocharer Cooling Method: Oil Only
014 TC 24005 100	Turbocharger Pedestal	Remanufactured, For 014 TC 24005 100
015 TC 21003 000	Turbocharger Only	New, 1999.5-2003 F-Series, 2000-2003 Excursion, With EBP Valve, Wastegate Actuator Included: Yes, Turbocharer Cooling Method: Oil Only
015 TP 21003 000	Turbocharger Pedestal	New, For 015 TC 21003 000
GS33656	Turbocharger Mounting Set	

# **GREAT PARTS** FOR GREAT ENGINES!

MAHLE Aftermarket features the widest offering of quality products for the 7.3L Power Stroke<sup>®</sup> diesel engine in the world. Among the long list of parts are: MAHLE Original<sup>®</sup> pistons (with and without rings installed), quality MAHLE Original<sup>®</sup> ring sets (available in oversizes matching the pistons), the famous Clevite<sup>®</sup> TriMetal<sup>™</sup> engine bearings (also available in four sizes), and MAHLE Original<sup>®</sup> gaskets.

The MAHLE Original<sup>®</sup> gasket offering serves as the industry's finest. The 7.3L Power Stroke head gasket is constructed of graphite material and is designed to seal minor surface irregularities. Superior to the OE gasket, graphite material conducts heat very well and can resist 1800°F in the clamped state. The perforated steel core and stainless steel flanges all help reduce cylinder head lift to maintain a superior combustion seal, and the MAHLE Original<sup>®</sup> head gasket does not require a re-torque once installed.

MAHLE Aftermarket does not stop the innovation with the head gasket. The MAHLE Original gasket offering includes the following sets and gaskets for the 7.3L Powerstroke:

- Head Set
- Cylinder Head Bolt Set
- Exhaust Manifold Gaskets
- Turbocharger Mounting Set
- Oil Cooler Mounting Set
- Fuel Injector O-Ring Sets

The MAHLE Original<sup>®</sup> gasket offering includes 36 gasket part numbers to service the Ford 7.3L Power Stroke engine which ensures the technician has every part needed.

Staying under the hood, but away from engine parts, MAHLE Aftermarket offers MAHLE Original<sup>®</sup> turbochargers and turbocharger service kits for the 7.3L engine; MAHLE Original<sup>®</sup> oil and air filters are also available for this application.

Make MAHLE Aftermarket your one-stop to get everything you need for the 7.3L Power Stroke diesel engine.

Power Stroke<sup>®</sup> are registered trademarks of the Ford Motor Company These trademarks and the part references are used only for reference to the parts they replace. These products are not made or authorized by the Ford Motor Company.





MAHLE Aftermarket Inc. 23030 MAHLE Drive Farmington Hills, MI 48335 United States Phone +1 (800) 338-8786 Fax +1 (248) 347-9700

MAHLE Aftermarket S de RL de CV Km. 53.750 Carretera México-Toluca Zn Ind. Dona Rosa ,Letra E, Interior 1A Col. Parque Industrial Lerma, 52000, Lerma, Mexico Teléfono: +52 722 2624530 Fax: +52 722 2624550





AP-3-515A