

GREAT PARTS FOR GREAT ENGINES LIGHT/MEDIUM DUTY DIESEL **ENGINE KITS**







GREAT PARTS FOR GREAT ENGINES

All of our engine kits contain premium, MAHLE® gaskets, pistons, and rings along with Clevite® engine bearings. Oversizes and undersizes are listed when they're available. In some cases, there are multiple part numbers of the same product on the same engine. When they are marked with an asterisk (*), the appropriate part number must be chosen according to your particular rebuild.

In all cases, these parts meet or exceed the original equipment manufacturer's specifications and are warranted to be free from defects in original materials and workmanship for a period of one (1) year from the date of purchase.

The kit offerings in this flyer include the following engines:

- → Dodge 2.7L, 3.0L, 5.9L & 6.7L
- → GM 6.6L
- → Ford 6.0L, 6.4L, 6.7L & 7.3L

Info you need to know when ordering a kit:

Sprinter:

- → Year
- → Straight/tapered connecting rod

Dodge:

- → CPL, engine serial number
- → Fractured/machined connecting rod

Ford:

→ Diameter of head dowels: 18MM or 20MM

GM:

- → VIN code
- → Required thickness of head gasket

All Kits:

- → Oversize of pistons and rings
- → Undersize of connecting rod bearings
- → Undersize of main bearings

Engine Kits Exclusive:

- → Engine kits are always freight prepaid
- → No additional cost for available under and oversized parts (pistons, bearings, etc)
- → Faster delivery based on multiple points of distribution
- → The ability to ship directly to your customer
- → Ease of look-up
 - Online catalog search
 - Industry leading technical support

HEAD BOLTS SOLD SEPARATELY:

MAHLE gasket sets do not include head bolts. For your convenience, they are available, but sold separately. See the list below for the correct head bolts available for your kit:

KIT NUMBER	QTY	PART #
789-1000	1	GS33493
789-1001	1	GS33493
789-1002	1	GS33493
789-1003	1	GS33493
789-1004	1	GS33493
789-1006	1	GS33493
789-1007	2	GS33495 (Long)
789-1007	2	GS33519 (Short)
789-1008	2	GS33494
789-1009	2	GS33494
789-1010	2	GS33494
789-1011	2	GS33504
789-1012	2	GS33504
789-1013	2	GS33504
789-1014	2	GS33693
789-1015	1	GS33493
789-1016	1	GS33422
789-1017	1	GS33422
789-1018	2	GS33839
789-1019	2	GS33379
789-1020	2	GS33495 (Long)
789-1020	2	GS33519 (Short)

Other products available for diesels

- → Turbochargers
- → Filters
- → Thermostats

2.7L DODGE

2003	-2004 DODG	E SPRINTER KIT NO. 789-1016	*Choose appropriate part number.
QTY	PART #	DESCRIPTION	NOTES
5	224-3364WR* 224-3366WR*	Piston w/Rings Piston w/Rings	Straight Connecting Rod; Available in .020" and .040" Tapered Connecting Rod; Available in .020", .030" and .040"
5	CB-1842P	Connecting Rod Bearings	Available in .25MM and .50MM
1	MS-2248P	Main Bearing Set	Available in .25MM and .50MM
1	TW-620S	Thrust Washer Set	
1	HS54429	Upper Gasket Set	
1	CS54429	Lower Gasket Set	

2005-2006 DODGE SPRINTER KIT NO. 789-1017			
QTY	PART #	DESCRIPTION	NOTES
5	224-3585WR	Piston w/Rings	OE # A646 030 10 17; Available in .50MM
5	CB-1842P	Connecting Rod Bearings	Available in .25MM and .50MM
1	MS-2248P	Main Bearing Set	Available in .25MM and .50MM
1	TW-620S	Thrust Washer Set	
1	HS54429	Upper Gasket Set	
1	CS54429	Lower Gasket Set	

3.0L DODGE SPRINTER

2007	2007-2017 DODGE/MERCEDES-BENZ SPRINTER KIT NO. 789-1022 *Choose appropriate part nu			*Choose appropriate part number.
QTY	PART #	DESCRIPTION	NOTES	
6	224-3952	Piston	Available in .50MM	
1	42191	Piston Ring Set	Available in .020"	
6	CB-1960P	Connecting Rod Bearings		
1	MS-2347P	Main Bearing Set		
1	TW-713S	Thrust Washer Set		
1	HS54816	Upper Gasket Set		
1	CS54816-1* CS54816-2*	Lower Gasket Set Lower Gasket Set	Steel housing rear main seal Aluminum housing rear main seal	

5.9L DODGE

1994-1998 DODGE RAM 2500, 3500 (ETB) KIT NO. 789-1003 *Choose appropriate part in			*Choose appropriate part number.	
QTY	PART #	DESCRIPTION	NOTES	
6	224-3520	Piston	Available in .020" and .040"	
6	S42221	Piston Rings	Available in .020" and .040"	
6	CB-1413P	Connecting Rod Bearings	Machined - Available in .25MM, .50M	M and .75MM
1	MS-2328P	Main Bearing Set	Available in .25MM and .50MM	
1	SH-1404	Camshaft Bearing		
1	HS4068* HS4068A* HS4068B*	Upper Gasket Set Upper Gasket Set Upper Gasket Set	Contains standard thickness head ga Contains .25MM thicker head gasket Contains .50MM thicker head gasket	
1	CS4068	Lower Gasket Set		

5.9L DODGE CONT'D

	.5-2002 DOL	OGE RAM 2500, 3500 (ETC)) KIT NO. 789-1004	*Choose appropriate part number.
YTÇ	PART #	DESCRIPTION	NOTES	
6	224-3355	Piston	Available in .020" and .040"	
6	S42170	Piston Rings	Available in .020" and .040"	
6	CB-1873AP* CB-1413P*	Connecting Rod Bearings Connecting Rod Bearings	Fractured - Available in .25MM, .9 Machined - Available in .25MM, .	
	MS-2328P	Main Bearing Set	Available in .25MM and .50MM	
	SH-1981	Camshaft Bearing		
	HS54174-2	Upper Gasket Set		
	CS54174	Lower Gasket Set		
2001	-2002 DODG	E RAM 2500, 3500 (ETH)	KIT NO. 789-1006	*Choose appropriate part number
YTÇ	PART #	DESCRIPTION	NOTES	
6	224-3354	Piston	Available in .020" and .040"	
3	S42170	Piston Rings	Available in .020" and .040"	
6	CB-1873AP* CB-1413P*	Connecting Rod Bearings Connecting Rod Bearings	Fractured - Available in .25MM, .8 Machined - Available in .25MM, .	
	MS-2328P	Main Bearing Set	Available in .25MM and .50MM	
	SH-1981	Camshaft Bearing		
	HS54174-2	Upper Gasket Set		
	CS54174	Lower Gasket Set		
		OGE RAM 2500, 3500 (ETC)		*Choose appropriate part number
YTÇ	PART #	DESCRIPTION	NOTES	*Choose appropriate part number
QTY	PART # 224-3672	DESCRIPTION Piston	NOTES Available in .020" and .040"	*Choose appropriate part number
QTY	PART # 224-3672 S42170	DESCRIPTION Piston Piston Rings	NOTES Available in .020" and .040" Available in .020" and .040"	
S	PART # 224-3672	DESCRIPTION Piston	NOTES Available in .020" and .040"	50MM and .75MM
QTY S	PART # 224-3672 S42170 CB-1873AP*	DESCRIPTION Piston Piston Rings Connecting Rod Bearings	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, .	50MM and .75MM
QTY 33 33	PART # 224-3672 S42170 CB-1873AP* CB-1413P*	DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM,	50MM and .75MM
QTY S	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P	DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM,	50MM and .75MM 50MM and .75MM c over-bore head gasket
QTY S	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556*	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set	Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific	50MM and .75MM 50MM and .75MM c over-bore head gasket
QTY S	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head	50MM and .75MM 50MM and .75MM c over-bore head gasket
2003	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket
2003	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556	DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set E RAM 2500, 3500 (ETC) keeps	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket
2003	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556 PART #	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set ERAM 2500, 3500 (ETC) K	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head KIT NO. 789-1002 NOTES	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket
2003	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556 PART # 224-3674	DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set E RAM 2500, 3500 (ETC) K DESCRIPTION Piston	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, .4 Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head XIT NO. 789-1002 NOTES Available in .020" and .040"	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket *Choose appropriate part number
2003 2003	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556 -2004 DODG PART # 224-3674 S42170 CB-1873AP*	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set ERAM 2500, 3500 (ETC) K DESCRIPTION Piston Piston Rings Connecting Rod Bearings	Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head IT NO. 789-1002 NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM,	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket *Choose appropriate part number
QTY 6 6 6 7 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54557* CS54556 PART # 224-3674 S42170 CB-1873AP* CB-1413P*	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set ERAM 2500, 3500 (ETC) k DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head XIT NO. 789-1002 NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM,	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket *Choose appropriate part number
QTY 6 6 6 6 6 1 1 1 1 1 1 1	PART # 224-3672 S42170 CB-1873AP* CB-1413P* MS-2328P SH-1981 HS54556* HS54556* CS54556 -2004 DODG PART # 224-3674 S42170 CB-1873AP* CB-1413P* MS-2328P	Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set Camshaft Bearing Upper Gasket Set Upper Gasket Set Lower Gasket Set ERAM 2500, 3500 (ETC) K DESCRIPTION Piston Piston Rings Connecting Rod Bearings Connecting Rod Bearings Main Bearing Set	NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM and .50MM Contains 1.20MM service specific Contains 1.28MM standard head XIT NO. 789-1002 NOTES Available in .020" and .040" Available in .020" and .040" Fractured - Available in .25MM, Machined - Available in .25MM,	50MM and .75MM 50MM and .75MM c over-bore head gasket gasket *Choose appropriate part number 50MM and .75MM 50MM and .75MM

5.9L DODGE CONT'D

2004.5-2009 DODGE RAM 2500, 3500 (ETH) KIT NO. 789-1000 *Choose a			*Choose appropriate part number.	
QTY	PART #	DESCRIPTION	NOTES	
6	224-3673	Piston	Available in .020" and .040"	
6	S42170	Piston Rings	Available in .020" and .040"	
6	CB-1873AP	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM	1
1	MS-2328P	Main Bearing Set	Available in .25MM and .50MM	
1	SH-1981	Camshaft Bearing		
1	HS54556* HS54557*	Upper Gasket Set Upper Gasket Set	Contains 1.20MM service specific over Contains 1.28MM standard head gaske	•
1	CS54556	Lower Gasket Set		

6.7L DODGE

2007	2007-2017 DODGE/RAM 2500, 3500, 4500, 5500 (ETJ/ETK) VIN: L OR A KIT NO. 789-1015 †			
QTY	PART #	DESCRIPTION	NOTES	
6	224-3732	Piston	Available in .020"	
6	S42140	Piston Rings	Available in .020"	
6	CB-1873AP	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM	
1	MS-2328P	Main Bearing Set	Available in .25MM and .50MM	
1	SH-1981	Camshaft Bearing		
1	HS54774-1	Upper Gasket Set		
1	CS54774-1	Lower Gasket Set		
1	VS50543	Valve Cover Set	With integrated wire harness	
1	48383	Timing Cover Seal		
1	48384	Crankshaft Seal		

† Note 2013+ Only Cab & Chassis Models

6.0L	FORD				
2003	2003-2004 FORD F250, F350, F450, F550 KIT NO. 789-1010				
QTY	PART #	DESCRIPTION	NOTES		
8	224-3454	Piston	Available in .020", .030" and .040"		
1	41940	Piston Ring Set	Available in .020", .030" and .040"		
8	CB-1814P	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM		
1	MS-2223P	Main Bearing Set	Available in .25MM, .50MM and .75MM		
1	SH-1996S	Camshaft Bearing Set			
1	HS54450	Upper Gasket Set	18MM cylinder head dowel		
1	CS54450	Lower Gasket Set			
	2004-2007 FORD F250 – F550 & 2004-2010 E250 – E450 KIT NO. 789-1008 *Choose appropriate part number.				
2004	-2007 FORD	F250 - F550 & 2004-2010 I	E250 - E450 KIT NO. 789-1008 *Choose appropriate part number.		
2004 QTY	-2007 FORD PART #	F250 - F550 & 2004-2010 I	E250 – E450 KIT NO. 789-1008 *Choose appropriate part number. NOTES		
QTY	PART # 224-3503*	DESCRIPTION Piston	NOTES Available in .010", .020", .030" and .040"		
QTY	PART # 224-3503* 224-3902*	DESCRIPTION Piston Piston	NOTES Available in .010", .020", .030" and .040" Reduced Compression; Available in .010", .020", .030" and .040"		
QTY 8 1	PART # 224-3503* 224-3902* 41940	DESCRIPTION Piston Piston Piston Ring Set	NOTES Available in .010", .020", .030" and .040" Reduced Compression; Available in .010", .020", .030" and .040" Available in .010", .020", .030" and .040"		
QTY 8 1	PART # 224-3503* 224-3902* 41940 CB-1814P	DESCRIPTION Piston Piston Piston Ring Set Connecting Rod Bearings	Available in .010", .020", .030" and .040" Reduced Compression; Available in .010", .020", .030" and .040" Available in .010", .020", .030" and .040" Available in .25MM, .50MM and .75MM		
QTY 8 1	PART # 224-3503* 224-3902* 41940 CB-1814P MS-2223P	DESCRIPTION Piston Piston Piston Ring Set Connecting Rod Bearings Main Bearing Set	Available in .010", .020", .030" and .040" Reduced Compression; Available in .010", .020", .030" and .040" Available in .010", .020", .030" and .040" Available in .25MM, .50MM and .75MM		

6.0L FORD CONT'D

2004	2004-2007 FORD F250 – F550 & 2004-2010 E250 – E450 KIT NO. 789-1009 *Choose appropriate part number.			
QTY	PART #	DESCRIPTION	NOTES	
8	224-3503* 224-3902*	Piston Piston	Available in .010", .020", .030" and .040" Reduced Compression; Available in .010", .020", .030" and .040"	
1	41940	Piston Ring Set	Available in .010", .020", .030" and .040"	
8	CB-1814P	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM	
1	MS-2223P	Main Bearing Set	Available in .25MM, .50MM and .75MM	
1	SH-1996S	Camshaft Bearing Set		
1	HS54450	Upper Gasket Set	18MM cylinder head dowel	
1	CS54450	Lower Gasket Set		

6.4L FORD

2008	-2010 FORD	F250, F350, F450, F550 VIN:	R KIT NO. 789-1007	*Choose appropriate part number.
QTY	PART #	DESCRIPTION	NOTES	
8	224-3666* 224-3891*	Piston Piston	Available in .25MM, .50MM and .75MM Reduced Compression; Available in .25	
1	42097	Piston Ring Set	Available in .010", .020" and .030"	
8	CB-1869P	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM	
1	MS-2269P	Main Bearing Set	Available in .25MM, .50MM and .75MM	
1	SH-1996S	Camshaft Bearing Set		
1	HS54657	Upper Gasket Set		
1	CS54657	Lower Gasket Set		

2008	2008-2010 FORD F250, F350, F450, F550 w/ MAXXFORCE PISTONS KIT NO. 789-1020 *Choose appropriate part number.			
QTY	PART #	DESCRIPTION	NOTES	
8	224-3851* 224-3953*	Piston Piston	Available in .25MM, .50MM and .75MM Reduced Compression; Available in .25MM, .50MM and .75MM	
1	42246	Piston Ring Set	Available in .010", .020" and .030"	
8	CB-1869P	Connecting Rod Bearings	Available in .25MM, .50MM and .75MM	
1	MS-2269P	Main Bearing Set	Available in .25MM, .50MM and .75MM	
1	SH-1996S	Camshaft Bearing Set		
1	HS54657	Upper Gasket Set		
1	CS54657	Lower Gasket Set		

6.7L FORD

2011	2011-2015 FORD F250, F350, F450, F550 VIN: T KIT NO. 789-1014 *Choose appropriate part number.				
QTY	PART #	DESCRIPTION	NOTES		
8	224-3852	Piston	Available in .50MM and 1.00MM		
1	42168	Piston Ring Set	Available in .020" and .040"		
8	CB-1953AP	Connecting Rod Bearings	Available in .25MM and .50MM		
1	MS-2334A* MS-2350A*	Main Bearing Set Main Bearing Set	Available in .25MM and .50MM Coated lower bearing; Available in .2	25MM and .50MM	
1	TW-711S	Thrust Washer			
1	HS54886	Upper Gasket Set			
1	CS54886	Lower Gasket Set			

7.3L FORD

1995	1995-2003 FORD F250 - F550, E350 - E550 VIN: F KIT NO. 789-1019 *Choose appropriate part number.				
QTY	PART #	DESCRIPTION	NOTES		
8	224-3163* 224-3409*	Piston Piston	Available in .010", .020", .030" a Reduced Compression; Availab	and .040" le in .010", .020", .030" and .040"	
1	41768	Piston Ring Set	Available in .010", .020", .030" a	and .040"	
8	CB-1633P	Connecting Rod Bearings	Available in .010", .020", .030" a	and .040"	
1	MS-2034P	Main Bearing Set	Available in .010", .020" and .03	80"	
1	SH-1092S	Camshaft Bearing Set			
1	HS54204A	Upper Gasket Set			
1	CS54204A	Lower Gasket Set			
2	VS50329* VS50328*	Valve Cover Gasket Valve Cover Gasket	1998-2003 (single valve cover) 1995-1997 (single valve cover)		
8	GS33440	Fuel Injector O-ring Kit	1 Pack will service one injector		
1	GS33716	Exhaust Pipe Gasket			

6.6L GENERAL MOTORS

2001	2001-2005 GM TRUCK 2500, 3500 VIN: 1 OR 2 KIT NO. 789-1011 *Choose appropriate part number.				
QTY	PART #	DESCRIPTION	NOTES		
4 4	224-3451 224-3452	Piston (Left) Piston (Right)	Available in .010", .020", .030" and .04 Available in .010", .020", .030" and .04		
1	41909	Piston Ring Set	Available in .010", .020", .030" and .04	10"	
8	CB-1805P	Connecting Rod Bearings	Available in .25MM and .50MM		
1	MS-2218P	Main Bearing Set	Available in .25MM and .50MM		
1	SH-1999S	Camshaft Bearing Set			
1	TW-610S	Thrust Washer Set			
1	HS54580* HS54580A*	Upper Gasket Set Upper Gasket Set	For VIN 1 (excludes head gasket - cho For VIN 2 (excludes head gasket - cho		
1	54580* 54581* 54582*	Head Gasket (Right) Head Gasket (Right) Head Gasket (Right)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness		
1	54583* 54584* 54585*	Head Gasket (Left) Head Gasket (Left) Head Gasket (Left)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness		
1	CS54580	Lower Gasket Set			

6.6L GENERAL MOTORS CONT'D

2006	-2010 GM T	*Choose appropriate part number.		
QTY	PART #	DESCRIPTION	NOTES	
4 4	224-3708 224-3709	Piston (Right) Piston (Left)	Available in .010", .020", .030" an Available in .010", .020", .030" an	
1	41909	Piston Ring Set	Available in .010", .020", .030" ar	nd .040"
8	CB-1805P	Connecting Rod Bearings	Available in .25MM and .50MM	
1	MS-2218P	Main Bearing Set	Available in .25MM and .50MM	
1	SH-1999S	Camshaft Bearing Set		
1	TW-610S	Thrust Washer Set		
1	HS54580A	Upper Gasket Set	Excludes head gasket - choose f	from gasket list below
1	54580* 54581* 54582*	Head Gasket (Right) Head Gasket (Right) Head Gasket (Right)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness	
1	54583* 54584* 54585*	Head Gasket (Left) Head Gasket (Left) Head Gasket (Left)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness	
1	CS54580	Lower Gasket Set		
			T NO. 700 4040	
2006	-2010 GM T	RUCK 2500, 3500 VIN: 6 KI	II NO. 789-1013	*Choose appropriate part number.
2006 QTY	-2010 GM T PART #	DESCRIPTION	NOTES	*Choose appropriate part number.
		·		nd .040"
QTY 4	PART # 224-3708	DESCRIPTION Piston (Right)	NOTES Available in .010", .020", .030" as	nd .040" nd .040"
QTY 4 4	PART # 224-3708 224-3709	DESCRIPTION Piston (Right) Piston (Left)	NOTES Available in .010", .020", .030" at Available in .010", .020", .030" at	nd .040" nd .040"
QTY 4 4 1	PART # 224-3708 224-3709 41909	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set	NOTES Available in .010", .020", .030" an Available in .010", .020", .030" an Available in .010", .020", .030" an	nd .040" nd .040"
QTY 4 4 1 8	PART # 224-3708 224-3709 41909 CB-1805P	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set Connecting Rod Bearings	Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .25MM and .50MM	nd .040" nd .040"
QTY 4 4 1 8 1	PART # 224-3708 224-3709 41909 CB-1805P MS-2218P	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set Connecting Rod Bearings Main Bearing Set	Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .25MM and .50MM	nd .040" nd .040"
QTY 4 4 1 8 1 1	PART # 224-3708 224-3709 41909 CB-1805P MS-2218P SH-1999S	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set Connecting Rod Bearings Main Bearing Set Camshaft Bearing Set	Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .25MM and .50MM	nd .040" nd .040" nd .040"
QTY 4 4 1 8 1 1 1	PART # 224-3708 224-3709 41909 CB-1805P MS-2218P SH-1999S TW-610S	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set Connecting Rod Bearings Main Bearing Set Camshaft Bearing Set Thrust Washer Set	Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .010", .020", .030" at Available in .25MM and .50MM Available in .25MM and .50MM	nd .040" nd .040" nd .040"
QTY 4 4 1 8 1 1 1 1	PART # 224-3708 224-3709 41909 CB-1805P MS-2218P SH-1999S TW-610S HS54580B 54580* 54581*	DESCRIPTION Piston (Right) Piston (Left) Piston Ring Set Connecting Rod Bearings Main Bearing Set Camshaft Bearing Set Thrust Washer Set Upper Gasket Set Head Gasket (Right) Head Gasket (Right)	Available in .010", .020", .030" an Available in .010", .020", .030" an Available in .010", .020", .030" an Available in .25MM and .50MM Available in .25MM and .50MM Excludes head gasket - choose for .95MM (Grade A) thickness 1.00MM (Grade B) thickness	nd .040" nd .040" nd .040"

6.6L GENERAL MOTORS CONT'D

2011-2016 GM DURAMAX TRUCK 2500, 3500 VIN: 8 OR L KIT NO. 789-1018 *Choose appropriate part number.				
QTY	PART #	DESCRIPTION	NOTES	
8	224-3935	Piston	Available in .25MM, .50MM, .75MM and 1.00MM	
1	42160	Piston Ring Set	Available in .010", .020", .030" and .040"	
8	CB-1805P* CB-1990P*	Connecting Rod Bearings Connecting Rod Bearings	Rod Marked - B, Available in .25MM and .50MM Rod Marked - A, Available in .25MM and .50MM	
1	MS-2218P	Main Bearing Set	Available in .25MM and .50MM	
1	SH-1999S	Camshaft Bearing Set		
1	TW-610S	Thrust Washer Set		
1	HS54580C	Upper Gasket Set	Excludes head gasket - choose from gasket list below	
1	55022* 55024* 55026*	Head Gasket (Right) Head Gasket (Right) Head Gasket (Right)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness	
1	55023* 55025* 55027*	Head Gasket (Left) Head Gasket (Left) Head Gasket (Left)	.95MM (Grade A) thickness 1.00MM (Grade B) thickness 1.05MM (Grade C) thickness	
1	CS54580B	Lower Gasket Set		

NOTES

NOTES

MAHLE Aftermarket Inc. 23030 MAHLE Drive Farmington Hills, MI 48335 United States Phone +1 (800) 338-8786 Fax +1 (248) 596-8899

MAHLE Aftermarket S de RL de CV Km. 53.750 Carretera México-Toluca Zn Ind. Dona Rosa, Letra E, Interior 1A Col. Parque Industrial Lerma, 52000, Lerma, Mexico Teléfono: +52 722 2624530, Fax: +52 722 2624550