

MAHLE

PERFORMANCE

GASKETS

WEATHERLY INDEX 660
Catalog No. GA-40-20
2020
Supersedes GA-40-18



Aftermarket 2020

WWW.MAHLE-AFTERMARKET.COM

MAHLE

***“200 NASCAR wins
taught me the best
parts matter!”***

- Richard “The King” Petty



PERFORMANCE

TABLE OF CONTENTS

Technical Information

Technical Service	02
-------------------	----

Product Information

Head gaskets	03
Intake manifold gaskets	04
Valve cover and oil pan gaskets	05
Header gaskets	06

Product Section

AMC V8	07
Buick V6	07
Buick V8	08
Chevrolet L6	09
Chevrolet V6	09
Chevrolet V8 LS	09
Chevrolet V8 Small Block	10
Chevrolet V8 Big Block	17
Chrysler V8 HEMI	22
Chrysler V8 Small Block	23
Chrysler V8 Big Block	25
Chrysler V8 Nitro and Alcohol	27
Ford LS	27
Ford V8 DOHC Coyote	27
Ford V8 SOHC Modular	28
Ford V8 Modular SOHC / DOHC	28
Ford V8 Small Block	28
Ford V8 Big Block	32
Oldsmobile V8	34
Pontiac L4	36
Pontiac V8	36
Miscellaneous Gaskets	38
Fel-Pro Interchanges	43
SCE Interchanges	46
Cometic Interchanges	48

FOR TECHNICAL SERVICE CALL: 1-800-248-9606

Hours: 8:30 am - 6:00 pm EST
(Monday - Friday)

Use Of MAHLE and Clevite Branded Products In Aircraft Or Other Specialty Equipment May Be A Violation Of Local, State or Federal Regulatory Agency Laws, Rules And Regulations.

These products are intended solely for automotive applications. Under absolutely NO circumstances should these products ever be used in non-automotive applications including, without limitation, aircraft engines, medical equipment, atomic energy devices or reactors.

“Federal, State and local laws restrict the removal, rendering inoperative, or in some cases the modification of factory installed emission devices or systems. California restricts the use of parts which could increase emissions in vehicles

designed for use on public streets or highways. The sale or installation on emission controlled vehicles of certain emission control components not approved by the California Air Resources Board, which alter or modify the original design or performance of such vehicle's emission control system is prohibited. Some of the parts listed and offered for sale in this catalog may fall within the above restrictions. Such parts are intended only for use on off-road vehicles competing in competitive events or on other types of vehicles which are exempt from the applicable emission control laws. Installation of these parts on vehicles subject to emission control laws may be prohibited.

MAHLE Aftermarket recommends that the applicable emission control laws be reviewed before considering the installation of add-on or modified parts.”

→ DECLARATION

Original part numbers of vehicle or engine manufacturers are given for internal comparison only. They are not meant to give the original of the parts and must not be used with the vehicle owner.

The preparation and printing of this catalog took several months, the latest application can therefore not be included. In some cases the product even had to be changed during quantity production. In case of doubt, please contact your representative.

All information given in this catalog has been compiled carefully; however, they are not binding. Changes on the part of the manufacturers are also subject to reservation.

Upon publication of the catalog, all previous editions cease to be valid. Copyright reserved. Reproducing or extracts with our without written permission only. Action will be taken for misuse.

MLS HEAD GASKETS

MAHLE performance MLS head gaskets are comprised of 3 stainless steel layers. Sealing beads surround the combustion chamber and coolant passages emphasizing clamp load in these specific areas. Precision tooling provides optimum bead height, width, profile, and bore concentricity.

- Comprised of multiple embossed layers of FKM (fluoroelastomer coated) and uncoated 301 stainless steel
 - Handle any application from naturally aspirated to boost or nitrous
 - Embossed outer layers of the gasket meet the demands of a variety of harsh sealing environments, load conditions and sealing surface finishes
- Design requires less clamp load creating less bore distortion and conforms load distribution across the sealing surface
 - Center or shim layer is an uncoated stainless steel layer which can be varied to accommodate multiple thickness requirements
 - No sealants or re-torque required



INTAKE MANIFOLD GASKETS

MAHLE performance intake gaskets are designed to allow the engine builder to trim the gaskets for an exact fit on stock or modified ports. The base fiber material is offered with and without a steel core and resists coolant, gasoline, alcohol, and oil. Silicone bead sealed ports provide sealing strength needed around port openings and eliminate leak paths.

- **Conformable fiber material with double perforated steel core**
 - **Silicone bead sealed ports to help maintain seal under high vacuum applications and long exposure to fuel and oil**
 - **Intended for high vacuum race engines as well as performance applications**
- **Long service life in marine, performance street and towing applications**
 - **Proven port shapes for factory performance and aftermarket racing heads**
 - **Easy trimming to match modified port shapes**
 - **Thickness range of .030" to .120" to compensate for manifold variations**



VALVE COVER AND OIL PAN GASKETS

High density cork rubber and laminated cork composite gaskets result in a compressible gasket without leak paths. Typically these gaskets are thicker than a standard passenger vehicle gasket.

Steel core laminate valve cover gaskets are a great choice for the professional racer. Fiber laminated over a steel core will provide maximum compression and torque retention in high vacuum conditions. These gaskets are coated with Teflon for better sealing characteristics and easier gasket removal.

Molded rubber valve cover gaskets provide greater ease of installation as well as superior sealing characteristics in an on-again/off-again situation. These gaskets are constructed with a rigid carrier and compression limiters to prevent over-tightening. Silicone rubber materials provide a long service life and multiple sealing beads prevent oil leaks.

Molded Rubber Valve Cover Gaskets

- **Silicone molded rubber, steel/plastic inner carrier with compression limiters to prevent over tightening and easy installation**
- **Superior sealing characteristics**

- **Provide dependable sealing in all conditions**
- **Race inspired designs and materials**
- **Surpass the quality and ability of a typical cork rubber gasket**

Valve Cover Gaskets

- **Severe duty fiber faced steel core with laminated anti-stick coating**
- **Enhanced compressibility for good sealing and lateral rigidity**
- **Prevents blowouts under high pressures**
- **Recommended for cast valve covers or sheet metal valve covers**
- **Safe for all fuels in naturally aspirated, supercharged and nitrous applications**

Also available: high density cork rubber and laminated silicone/cork valve cover gaskets for the budget minded street performance applications



EXHAUST HEADER GASKETS

MAHLE Performance exhaust header gaskets consist of a Graphite-Kevlar® composite fiber facing material attached to both sides of a perforated steel core. This material is much stronger than paper, resisting burnout from high temperatures; it has the ability to seal slightly warped surfaces, with excellent torque retention.

Manufactured from a high grade 301 stainless steel, MLS header gaskets feature an embossed spring steel bead which maintains torque set and creates a strong seal around exhaust ports with resistance to flange motion. These gaskets will not burn or push out and requires no additional sealers.

MLS Header Gaskets

- **Manufactured from high grade 301 stainless steel that will not burn through or blow out**
- **Embossed spring steel maintains torque and will not require additional sealers**
- **Stand up to extremely high temperatures produced by racing applications**

Graphite Header Gaskets

- **Graphite blend facing with perforated steel core**
- **Mechanically clinched on both sides to the facing**
- **Highly conformable**
- **Withstands and transfers extreme heat through the material**
- **Available for specialized racing applications to stock heads**



Kevlar® is a registered trademark of the DuPont Corporation.

AMC V8**304, 360, 390, 401 Engines****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20108	Stock, Edelbrock Performer RPM and Indy 401-SR	1.100" x 2.200"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20109	Stock, Edelbrock Performer RPM and Indy 401-SR	1.100" x 2.200"	Laminated Fiber	Rectangle	.120"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS19971	Stock, Edelbrock Performer RPM and Indy 401-SR	1.150" x 1.700"	Graphite-Kevlar Composite w/ Perforated Steel Core	Dog Leg	.060"
MS19972	Stock	1.225" x 1.750"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rectangle	.060"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50831	Stock, Edelbrock Performer RPM, Indy 401SR	Laminated Cork/Composite	.125"
VS50832	Stock, Edelbrock Performer RPM, Indy 401SR	Laminated Cork/Composite	.250"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS32503		Rubberized Fiber	.093"

BUICK V6**231 Engines****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20270*	Exc Stage II Engines, 1979 - 1987	1.150" x 1.450"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20425*	Stage II Engines, Additional Holes to Fit Adapter Plates	1.520" x 1.620"	Graphite Composite w/ Expanded Steel Core	Square	.093"

*New Part Number

BUICK V8						
400, 430, 455 Engines						
Cylinder Head Gaskets						
Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55046			Multi-Layered Steel	4.385"	.040"	10
Intake Manifold Gasket Sets						
Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness	
MS20104	Stage 1, Edelbrock Performer RPM and TA Performance Stage 1 SE	1.100" x 2.375"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"	
MS20105	Stage 3	1.310" x 2.400"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"	
MS20106	Stage 4	1.600" x 2.550"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"	
MS20107	Stage 1 Large Port and TA Performance Stage 1 TE	1.220" x 2.520"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"	
Exhaust Header Gaskets						
Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness	
MS19973	Stock Stage 1, Edelbrock Performer RPM, T/A Performance Stage 1 SE and Stage 1 TE	1.200" x 2.000"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rectangle	.060"	
MS19974	Stock Stage 2	2.000"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"	
Valve Cover Gasket Sets						
Part No	Application Notes	Materials/Construction			Thickness	
VS50828	Stock, Edelbrock Performer RPM, TA Performance Eliminator	Laminated Cork/Composite			.250"	
VS50829	Stock, Edelbrock Performer RPM, TA Performance Eliminator	Laminated Cork/Composite			.125"	
VS50830	Stock, Edelbrock Performer RPM, TA Performance Eliminator	Premium Cork Rubber			.180"	
Oil Pan Gasket Sets						
Part No	Application Notes	Materials/Construction			Thickness	
OS32502		Rubberized Fiber			.093"	

*New Part Number

CHEVROLET L6**194, 230, 250, 292 Engines****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20428*	Stock 1962 - 1984	1.380" x 1.730"	Graphite Composite w/ Expanded Steel Core	Square	.093"

CHEVROLET V6**173 Engines****Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20276*	Stock or Small Race Port 1980 - 1986	1.250"	Graphite Composite w/ Expanded Steel Core	Round	.093"

229, 262 Engines**Exhaust Header Gaskets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20426*	Stock	1.500" x 1.500"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20274*	Race Port	1.550" x 1.550"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20427*	18 Degree Head	1.740" x 1.600"	Graphite Composite w/ Expanded Steel Core	Square	.093"

CHEVROLET V8 LS**LS1, LS6 / 6.0L LS2 / 6.2L LS3 Engines****Cylinder Head Gaskets**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55041	LS1, LS2, LS3, LS6		Multi-Layered Steel	3.910"	.051"	10.1
55042	LS1, LS2, LS3, LS6		Multi-Layered Steel	4.060"	.051"	10.9
55043	LS1, LS2, LS3, LS6		Multi-Layered Steel	4.100"	.051"	11.1
55044	LS1, LS2, LS3, LS6		Multi-Layered Steel	4.130"	.051"	11.3
55045	LS1, LS2, LS3, LS6		Multi-Layered Steel	4.190"	.051"	11.6

CHEVROLET V8 LS (cont.)**LS1, LS6 / 6.0L LS2 / 6.2L LS3 Engines (cont.)****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20056	LS1 / LS2 / LS6 4 Barrel w/ Rectangle Ports	1.150" x 3.375"	Laminated Fiber	Cathedral	.030"
MS20057	LS1 / LS2 / LS6 4 Barrel w/ Rectangle Ports	1.150" x 3.375"	Laminated Fiber, Silicone Bead Sealed Ports	Cathedral	.060"
MS20058	LS1 / LS2 / LS6 4 Barrel w/ Rectangle Ports	1.150" x 3.375"	Laminated Fiber	Cathedral	.120"
MS20059	LS7 / C5R / World LS7X w/ Rectangle Ports	1.375" x 2.410"	Laminated Fiber	Rectangle	.030"
MS20060	LS7 / C5R / World LS7X w/ Rectangle Ports	1.375" x 2.410"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20061	LS7 / C5R / World LS7X w/ Rectangle Ports	1.375" x 2.410"	Laminated Fiber	Rectangle	.120"
MS20062	LSX 454 CT		Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20063	LSX 454 DR		Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20064	L92	1.250" x 2.500"	Laminated Fiber	Rectangle	.030"
MS20065	L92	1.250" x 2.500"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20066	L92	1.250" x 2.500"	Laminated Fiber	Rectangle	.120"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20286*	Stock	1.720"	Graphite w/ Perforated Steel Core	Round	.060"
MS20287*	Large Race Port	1.880"	Graphite w/ Perforated Steel Core	Round	.060"

CHEVROLET V8 SMALL BLOCK**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines****Cylinder Head Gaskets**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55382*		Pre-flattened stainless steel wire	Solid Core Composite	4.080"	.040"	8.7
55255*		Pre-flattened stainless steel wire	Solid Core Composite	4.165"	.040"	9
55261*		Pre-flattened stainless steel wire	Solid Core Composite	4.190"	.040"	9

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Cylinder Head Gaskets (cont.)**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55257*		Pre-flattened stainless steel wire	Solid Core Composite	4.200"	.040"	9.1
3514SG			Graphite	3.840"	.045"	8.4
5746			Graphite	4.100"	.026"	5.4
1178BS			Stainless Steel	4.100"	.020"	4.1
5898	Gen II		Graphite	4.100"	.026"	5.4
1178SG			Graphite	4.160"	.045"	9.8
54108SCR			Solid Core Composite	4.166"	.042"	9.5
1178SCR			Solid Core Composite	4.190"	.044"	9.8
3432SG			Graphite	4.190"	.045"	10
55028			Multi-Layered Steel	4.060"	.040"	8.5
55031			Multi-Layered Steel	4.165"	.040"	9
55032			Multi-Layered Steel	4.200"	.040"	9.1

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20009	GM Performance Vortec Tapered Port	2.100"	Laminated Fiber, Silicone Bead Sealed Ports	Tapered	.060"
MS20010	23 Degree Stock Port	1.200" x 2.010"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20012	GM Performance 18 Degree, Brodix 18C	1.265" x 2.180"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20013	Pro Action/RHS 14 Degree Two Piece Intake, Note Requires 4 Gaskets Due to Spacer	1.365" x 2.195"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20014	23 Degree Medium Port	1.250" x 2.200"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20015	Dart Little Chief	1.440" x 2.295"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20016	Brodix WP287, 12X, 12RP	1.410" x 2.500"	Laminated Fiber, Silicone Bead Sealed Ports		.060"

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20017	23 Degree Large Port	1.300" x 2.250"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20018	23 Degree Medium Port, Brodix 8, 10, 11, 11X, Track 1, Track IX	1.250" x 2.200"	Laminated Fiber		.120"
MS20019	23 Degree Extra Large Race Port, Brodix 12SP-S	1.380" x 2.300"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20020	Pro Action/RHS 14 Degree Valley Cover		Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20021	GM Performance SB2.2 Mirror Port Valley Cover		Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20022	23 Degree Extra Large Race Port, Brodix 12SP-S	1.380" x 2.300"	Laminated Fiber		.120"
MS20023	Dart - Buick	1.600" x 2.900"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20024	GM Performance Splayed (Canted) Valve Head, Trim to Fit	1.500" x 2.000"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20025	GM Performance SB2.2 Mirror Port, Trim to Fit	1.390" x 1.900"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20026	Brodix 1010	1.500" x 2.300"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20027	Brodix Canted Valve	1.500" x 2.300"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20028	Brodix -12 Series, 15 Series	1.300" x 2.200"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20029	Brodix Head Hunter	1.335" x 2.170"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20030	Pro Action/RHS 23 Degree	1.265" x 2.195"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20031	Pro Action/RHS 14 Degree	1.365" x 2.195"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20032	Pro Action/RHS 12 Degree Two Piece Intake	1.520" x 2.100"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20033	GM Performance Vortec Tapered Port	2.100"	Laminated Fiber	Tapered	.120"

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20034	23 Degree Stock Port	1.200" x 2.000"	Laminated Fiber		.120"
MS20035	GM Performance Splayed (Canted) Valve Head, Trim to Fit	1.500" x 2.000"	Laminated Fiber		.120"
MS20036	LT-1 / LT-4 Engines Tapered Port	2.250"	Laminated Fiber, Silicone Bead Sealed Ports	Tapered	.060"
MS20037	Pro Action/RHS 12 Degree Valley Cover		Laminated Fiber, Silicone Bead Sealed Ports		.060"
95128SG	Stock W/ Block Heat Crossover	1.230" x 1.990"	Graphite		
95070SG	Stock or Small Race	1.280" x 2.090"	Graphite		
MS20230*	23 Degree Large Port	1.310" x 2.210"	Steel Core / Composite / Non Stick Coating		.060"
MS20235*	Stock or Small Race Port	1.280" x 2.090"	Steel Core / Composite / Non Stick Coating		.060"
MS20302*	18 Degree High Port, Pro Topline	1.250" x 2.150"	Steel Core / Composite / Non Stick Coating		.060"
MS20383*	Brodix ASA / ARCA Spec Head	1.360" x 2.320"	Steel Core / Composite / Non Stick Coating		.060"
MS20384*	SB2 Mirror Port Trim to Fit	1.400" x 1.900"	Steel Core / Composite / Non Stick Coating		.045"
MS20387*	Brodix ASA / ARCA Spec Head	1.360" x 2.320"	Steel Core / Composite / Non Stick Coating		.045"
MS20390*	Brodix ASA / ARCA Spec Head	1.360" x 2.320"	Steel Core / Composite / Non Stick Coating		.095"
MS20391*	SB2 Mirror Port Trim to Fit	1.400" x 1.900"	Steel Core / Composite / Non Stick Coating		.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95016SG		1.630"	Graphite	Round	
95090SG		1.370" x 1.400"	Graphite	Rectangle	
95094SG		1.500" x 1.500"	Graphite	Square	

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Exhaust Header Gaskets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS19975	Square Port Headers and 400cid Truck Square Port Cast Manifolds	1.450" x 1.450"	Graphite-Kevlar Composite w/ Perforated Steel Core	Stock Square	.060"
MS19976	Fastburn Heads, LT1-LT4, ZZ430 Stock Manifolds, Gasket Matches Cylinder Head Port Shape	1.450" x 1.375"	Graphite-Kevlar Composite w/ Perforated Steel Core	D-Port	.060"
MS19977	AJPE, All Pro, Brodix 12 and 13 Degree Heads with Raised "D" Ports, 7 Bolt Pattern	1.750" x 1.600"	Graphite-Kevlar Composite w/ Perforated Steel Core	D-Port	.060"
MS19978	GMCP 18 Degree, Brodix 18C and Pro Action/RHS Small Block Heads with GM 18 Degree 6 Bolt Pattern	1.740" x 1.600"	Graphite-Kevlar Composite w/ Perforated Steel Core	Oval	.060"
MS19979	Dart-Buick 8 Bolt Pattern fits only Dart-Buick SBC Heads	1.590" x 1.560"	Graphite-Kevlar Composite w/ Perforated Steel Core	Square	.060"
MS19980	GMCP Splayed Valve, 2 Bolts Per Port @45 Degree Angle	1.875"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS19981	GMCP SB2.2 Mirror Port 8 Bbolt Pattern	1.800" x 1.600"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rounded Rectangle	.060"
MS19982	Stock	1.355" x 1.485"	Graphite-Kevlar Composite w/ Perforated Steel Core	Stock	.060"
MS19983	Hooker Style Adapter Plate, Dual Bolt Pattern, For use between header and plate or plate and head	1.350" x 1.700"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rounded Rectangle	.060"
MS19984	Hooker / Stahl Combination 7 Bolt Pattern Slotted Holes, Outer ports round and inner ports have flats along center	1.875"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS19985	Edelbrock Performer, Brodix Track 1 with Stock 6 Bolt Pattern	1.500" x 1.675"	Graphite-Kevlar Composite w/ Perforated Steel Core	D-Port	.060"
MS20113		1.450" x 1.480"	Multi-Layered Steel	Square	.030"
MS20114		1.500"	Multi-Layered Steel	Round	.030"
MS20115		1.450" x 1.600"	Multi-Layered Steel	Square	.030"

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Exhaust Header Gaskets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20116		1.625"	Multi-Layered Steel	Round	.030"
MS20273*	Brodix 12B, Brodix 2000	1.780" x 1.700"	Graphite Composite w/ Expanded Steel Core	D Port	.093"
MS20407*	Stock	1.380" x 1.380"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20410*	GM Vortec, Stock or Small Race Port	1.500" x 1.500"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20429*	18 Degree Adapter Plate, Multiple Bolt Patterns	2.000"	Graphite Composite w/ Expanded Steel Core	Round	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50755	1959-1985 All	Molded Rubber / Steel Carrier w/ Load Limiters	.225"
VS50762	Dart-Buick SBC Cylinder Heads	Laminated Cork/Composite	.250"
VS50763	CHEVROLET Splayed Valve Cylinder Heads	Steel Core Composite, Teflon Coated on One Side	.080"
VS50764	CHEVROLET SB2.2 casting no. 12480011	Steel Core Composite, Teflon Coated on One Side	.080"
VS50765	SBC 12 & 18 degree Heads	Steel Core Composite, Teflon Coated on One Side	.080"
VS50766	CHEVROLET Splayed Valve Cylinder Heads	Laminated Cork/Composite	.250"
VS50767	CHEVROLET SB2.2 casting no. 12480011	Laminated Cork/Composite	.250"
VS50768	1986-1997 SBC with center bolt covers	Laminated Cork/Composite	.250"
VS50769	1959-1985 All	Laminated Cork/Composite	.250"
VS50770	SBC 12 & 18 degree Heads	Laminated Cork/Composite	.125"
VS50771	1986-1997 SBC with center bolt covers	Steel Core Composite, Teflon Coated on One Side	.080"
VS50772	SBC 12 & 18 degree Heads	Laminated Cork/Composite	.250"

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Oil Pan Gasket Sets**

Part No	Application Notes	Materials/Construction	Thickness
OS30572TC	1980-1985 Thick Front Seal RH Dipstick	Cork with Metal Carrier	
OS30568ZTC	1975-1979 Thick Front Seal LH Dipstick	Cork with Metal Carrier	
OS32522	1957-1974 Thin Front Seal LH Dipstick	Rubberized Fiber	.093"
OS32523	1975-1979 Thick Front Seal LH Dipstick	Rubberized Fiber	.093"
OS32457	1975-1979 Thick Front Seal LH Dipstick	Molded Rubber / Steel Carrier w/ Load Limiters	.185"
OS32496B	1986-1997 1pc Rear Main Thick Front Seal RH Dipstick	Molded Rubber / Rigid Carrier	.185"
OS32525	1986-1997 1pc Rear Main Thick Front Seal RH Dipstick	Steel Core Laminate, Teflon Coated on One Side	.080

Front Cover Sets

Part No	Application Notes	Materials/Construction	Thickness
JV5256*	1959-1985	Aluminum Core / Composite	.034"

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68053*	Chevrolet Style Crankshaft 1959 - 1985	Viton 2pc	
68044*	Chevrolet Style Crankshaft 1986 - 1997	Viton 1pc	

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33301*	Standard Horseshoe-Shaped Timing Cover Gasket	Laminated Fiber	.034"
T33254*	Full Circle Timing Cover Gasket, Fits Gear Drive and 1-Piece Timing Covers	Aluminum Core / Composite	.034"
T33439*	Standard Horseshoe-Shaped Timing Cover Gasket	Aluminum Core / Composite	.034"

Water Outlet Gasket

Part No	Application Notes	Materials/Construction	Thickness
C33441*	Water Pump Outlet Gasket	Aluminum Core / Composite	.034"
C33442*	Thermostat Housing Gasket	Aluminum Core / Composite	.034"
C33461*	Thermostat Housing Gasket	Cast Aluminum / Silicone	.117"

*New Part Number

CHEVROLET V8 SMALL BLOCK (cont.)**262, 265, 267, 283, 302, 305, 307, 327, 350, 400 Engines (cont.)****Fuel Pump**

Part No	Application Notes	Materials/Construction	Thickness
D33443*	Fuel Pump Gasket	Aluminum Core / Composite	.034"
D33444*	Fuel Pump Backing Plate Gasket	Aluminum Core / Composite	.034"

Distributor Gasket

Part No	Application Notes	Materials/Construction	Thickness
B33445*	Distributor Gasket	Aluminum Core / Composite	.034"

CHEVROLET V8 BIG BLOCK**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines****Cylinder Head Gaskets**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55259*		Pre-flattened stainless steel wire	Solid Core Composite	4.370"	.040"	9.8
55258*		Pre-flattened stainless steel wire	Solid Core Composite	4.540"	.040"	10.8
55260*		Pre-flattened stainless steel wire	Solid Core Composite	4.630"	.040"	11.1
3884SG	Gen4		Graphite	4.520"	.045"	11.5
4886	Gen5/6		Graphite	4.578"	.042"	11
4918	Gen5 with Gen4 Heads		Graphite	4.578"	.042"	11
55033	Gen4		Multi-Layered Steel	4.320"	.040"	10
55034	Gen4		Multi-Layered Steel	4.540"	.040"	10.8
55035	Gen4		Multi-Layered Steel	4.580"	.040"	10.9
55036	Gen4		Multi-Layered Steel	4.630"	.040"	11.1
55037	Gen5/6		Multi-Layered Steel	4.375"	.040"	10.2
55038	Gen5/6		Multi-Layered Steel	4.540"	.040"	10.8
55039	Gen5/6		Multi-Layered Steel	4.580"	.040"	10.9
55040	Gen5/6		Multi-Layered Steel	4.630"	.040"	11.1

*New Part Number

CHEVROLET V8 BIG BLOCK (cont.)**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines (cont.)****Intake Manifold Gasket Sets**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20039	Stock Oval Port	1.800" x 2.030"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20042	Hi-Perf Rectangle, Merlin, Brodix BB1 through 4, Edelbrock 454 RPM	1.800" x 2.530"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20043	Hi-Perf Rectangle, Merlin, Brodix BB1 through 4, Edelbrock 454 RPM	1.800" x 2.530"	Laminated Fiber	Rectangle	.120"
MS20044	Large Rectangle, Merlin 3, Merlin X, Dart 360, Edelbrock Victor, Canfield 310	1.800" x 2.500"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20045	Large Rectangle, Merlin 3, Merlin X, Dart 360, Edelbrock Victor, Canfield 310	1.800" x 2.500"	Laminated Fiber	Rectangle	.120"
MS20047	Brodix BB-3 Xtra Oval	1.820" x 2.540"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20048	Dart Big M	1.720" x 2.720"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20049	CFE BMF 405cc	1.800" x 2.800"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20050	Pro Action/RHS 320, 360 Heads	1.725" x 2.450"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
95008SG	Large Rectangle	1.800" x 2.520"	Graphite	Rectangle	
MS20300*	Brodix Head Hunter Series SR20	1.945" x 2.595"	Steel Core / Composite / Non Stick Coating		.060"
MS20236*	GM and Edelbrock Oval Port, Brodix FF- 010 EFI	1.820" x 2.050"	Steel Core / Composite / Non Stick Coating		.060"
MS20301*	Large Rectangle	1.820" x 2.540"	Steel Core / Composite / Non Stick Coating		.060"
MS20382*	Brodix BB-1, 2, 2X, 3, 4	1.820" x 2.540"	Steel Core / Composite / Non Stick Coating		.060"
MS20393*	Brodix Head Hunter Series SR20	1.945" x 2.595"	Laminated Fiber, Silicone Bead Sealed Ports		.090"
MS20394*	Brodix Head Hunter Series SR20	1.945" x 2.595"	Laminated Fiber, Silicone Bead Sealed Ports		.045"

*New Part Number

CHEVROLET V8 BIG BLOCK (cont.)**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20051	Dart Big Chief CNC	Trim to Fit	Laminated Fiber		.060"
MS20052	Dart Big Chief, Brodix Big Duke Small Oval	1.650" x 2.450"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20053	Dart Big Chief, Brodix Big Duke Large Oval	1.950" x 2.650"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20054	Dart Big Chief, Brodix Big Duke Large Oval	1.950" x 2.650"	Laminated Fiber	Oval	.120"
MS20055	Dart Big Chief, Brodix Big Duke Rectangle Port	1.875" x 2.425"	Laminated Fiber	Rectangle	.120"
MS20040	Dart Big Chief, Brodix Big Duke Rectangle Port	1.875" x 2.425"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20041	Brodix / Pontiac Siamesed Port Early Pro Stock Casting Number 5427	1.920" x 2.700"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20046	Intake Blank for Standard Configuration Heads	Trim to Fit	Laminated Fiber		.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95021SG		1.820" x 1.880"	Graphite	Square	
95100SG		2.130"	Graphite	Round	
MS19986		1.875"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS19987		2.400"	Graphite-Kevlar Composite w/ Perforated Steel Core	XL Round	.060"
MS20285*	Large Race Port	2.250"	Graphite w/ Perforated Steel Core	Round	.060"
MS20408*	Large Race Port	2.130"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20409*	Cast Iron and Early Aluminum Heads	1.880" x 1.880"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20117		1.850" x 1.900"	Multi-Layered Steel	Square	.030"
MS20118		1.920"	Multi-Layered Steel	Round	.030"
MS20119		2.000"	Multi-Layered Steel	Round	.030"

*New Part Number

CHEVROLET V8 BIG BLOCK (cont.)**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines (cont.)****Exhaust Header Gaskets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20120		2.130"	Multi-Layered Steel	Round	.030"
MS20121		2.200"	Multi-Layered Steel	Round	.030"
MS20122		2.250"	Multi-Layered Steel	Round	.030"
MS20403*	DRCE and DRCE II 4.900" Bore Space	2.250"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20404*	DRCE and DRCE II 4.900" Bore Space	2.400"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20405*	5.000" Bore Space, Brodix Heads	2.400"	Graphite Composite w/ Expanded Steel Core	Round	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38420H	BBC with Standard Bolt Pattern	High Temp Cork with Metal Carrier	
VS38420TC	BBC with Standard Bolt Pattern	Cork with Metal Carrier	
VS50169	BBC with Standard Bolt Pattern	Molded Rubber	
VS50757	BBC with Standard Bolt Pattern	Molded Rubber / Steel Carrier w/ Load Limiters	.235"
VS50773	Dart Big Chief, Brodix Big Duke, Dart Olds Casting #22538816, Early Pontiac Pro Stock and Similar 4.840 Bore Center, Raised Port Cylinder Heads	Steel Core Composite, Teflon Coated on One Side	.080"
VS50774	Dart Big Chief, Brodix Big Duke, Dart Olds Casting #22538816, Early Pontiac Pro Stock and Similar 4.840 Bore Center, Raised Port Cylinder Heads	Laminated Cork/Composite	.125"
VS50775	Dart Big Chief, Brodix Big Duke, Dart Olds Casting #22538816, Early Pontiac Pro Stock and Similar 4.840 Bore Center, Raised Port Cylinder Heads	Laminated Cork/Composite	.250"
VS50776	BBC with Standard Bolt Pattern	Steel Core Composite, Teflon Coated on One Side	.080"
VS50777	BBC with Standard Bolt Pattern	Laminated Cork/Composite	.125"
VS50778	BBC with Standard Bolt Pattern	Laminated Cork/Composite	.250"
VS50779	BBC with Standard Bolt Pattern	Fuel Resistant High Temperature Composite	.060"
VS50780	Rhere Morrison Raptor	Steel Core Composite, Teflon Coated on One Side	.080"

*New Part Number

CHEVROLET V8 BIG BLOCK (cont.)**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines (cont.)****Valve Cover Gasket Sets**

Part No	Application Notes	Materials/Construction	Thickness
VS50781	Big Chief	Steel Core Composite, Teflon Coated on One Side	.080"
VS50782	Fulton 5.2"BS	Steel Core Composite, Teflon Coated on One Side	.080"
VS50783	AJPE 4.9"BS Pro Stock	Steel Core Composite, Teflon Coated on One Side	.080"
VS50784	Fulton / CFE 5.0"BS	Steel Core Composite, Teflon Coated on One Side	.080"
VS50785	AJPE 5.0" BS Pro Stock	Steel Core Composite, Teflon Coated on One Side	.080"
VS50786	Brodix BP PB 5.0"BS	Steel Core Composite, Teflon Coated on One Side	.080"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS32511	Chevrolet Big Block 1965 - 1990	Rubberized Fiber	.093"
OS32512	Side Rails Trimmed for Rod Clearance	Steel Core Laminate, Teflon Coated on One Side	.080
OS32484	Chevrolet Big Block 1965 - 1990, Side Rails Trimmed for Rod Clearance	Molded Rubber / Steel Carrier w/ Load Limiters	.185"
OS32513	Bolt Holes at Main Cap Centerlines, Side Rails Trimmed for Rod Clearance	Steel Core Laminate, Teflon Coated on One Side	.080
OS32514	Chevrolet Big Block 1991 - 2000	Molded Rubber / Rigid Carrier	.185"
OS32487	DRCE/Merlin BBC Blocks	Steel Core Laminate, Teflon Coated on One Side	.080
OS32488	Wet Sump Moroso Aluminum and Similar Pans, Rail Gaskets are Clearanced to Match Pan	Steel Core Laminate, Teflon Coated on One Side	.062"

Front Cover Sets

Part No	Application Notes	Materials/Construction	Thickness
JV5271*	1965-1990	Aluminum Core / Composite	.034"

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68054*	Chevrolet Style Crankshaft 1965 - 1990	Silicone 2pc	
68045*	Chevrolet Style Crankshaft 1965 - 1990	Viton 2pc	
68046*	Chevrolet Style Crankshaft 1991 - 2000	Viton 1pc	

*New Part Number

CHEVROLET V8 BIG BLOCK (cont.)**396, 402, 427, 454, 496, 502, 510, 540, 572 Engines (cont.)****Timing Cover Gasket**

Part No	Application Notes	Materials/Construction	Thickness
T33308*	Standard Horseshoe-Shaped Timing Cover Gasket	Laminated Fiber	.034"
T33438*	Standard Horseshoe-Shaped Timing Cover Gasket	Aluminum Core / Composite	.034"

Water Outlet Gasket

Part No	Application Notes	Materials/Construction	Thickness
C33440*	Water Pump Outlet Gasket	Aluminum Core / Composite	.034"
C33442*	Thermostat Housing Gasket	Aluminum Core / Composite	.034"
C33461*	Thermostat Housing Gasket	Cast Aluminum / Silicone	.117"

Fuel Pump

Part No	Application Notes	Materials/Construction	Thickness
D33443*	Fuel Pump Gasket	Aluminum Core / Composite	.034"

Distributor Gasket

Part No	Application Notes	Materials/Construction	Thickness
B33445*	Distributor Gasket	Aluminum Core / Composite	.034"

CHRYSLER V8 HEMI**5.7L Engines****Cylinder Head Gaskets**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55051	2003 - 2015 Right Side		Multi-Layered Steel	3.950"	.027"	5.5
55052	2003 - 2015 Left Side		Multi-Layered Steel	3.950"	.027"	5.5

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68055*	1992 - 2003	Viton 2pc	

6.1L Engines**Cylinder Head Gaskets**

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55053	2005 - 2010		Multi-Layered Steel	4.100"	.040"	8.8

*New Part Number

CHRYSLER V8 SMALL BLOCK

318, 340, 360 Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
3536SG			Graphite w/ Teflon Coating	4.150"	.045"	9.9
55054			Multi-Layered Steel	4.040"	.040"	8.5
55055			Multi-Layered Steel	4.080"	.040"	8.7
55056			Multi-Layered Steel	4.125"	.040"	8.9

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20084	Stock 2 Barrel	1.050" x 2.187"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20388*	Stock 318 4 Barrel Head	1.160" x 2.270"	Steel Core / Composite / Non Stick Coating		.060"
MS20085	Stock 4 Barrel and Magnum	1.175" x 2.275"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20086	Mopar W7-W8 Race Heads	1.400" x 2.150"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20087	Mopar W7-W8 Race Heads	1.400" x 2.150"	Laminated Fiber		.120"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95095SG		1.250" x 1.750"	Graphite		
MS19991	Stock 4 Barrel with Prominent Angle in Lower Port Corners	1.100" x 1.700"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rectangle	.060"
MS19992	W7, W8, W9 Race Heads with 7 bolts, Three Sections to Allow for Injectors	1.800" x 1.750"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rounded Rectangle	.060"
MS19993	W2 Race Head	1.880"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS20123		1.310" x 1.640"	Multi-Layered Steel		.030"
MS20419*	P5, P7/R5, P8/R6, W7, W8, W9	1.900"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20423*	P5, P7/R5, P8/R6, W7, W8, W9, 4pc Gasket	1.875"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20430*	Stock 1968 - 1980	1.250" x 1.750"	Graphite Composite w/ Expanded Steel Core	Stock	.093"

*New Part Number

CHRYSLER V8 SMALL BLOCK (cont.)

318, 340, 360 Engines (cont.)

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS39569H	273-360 and W2/W9 Heads	High Temp Cork with Metal Carrier	
VS50802	273-360 and W2/W9 Heads	Steel Core Composite, Teflon Coated on One Side	.080"
VS50803	273-360 and W2/W9 Heads	Laminated Cork/Composite	.125"
VS50804	273-360 and W2/W9 Heads	Laminated Cork/Composite	.250"
VS50805	5.2L-5.9L Magnum	Laminated Cork & Cut-resistant Fiber	.125"
VS50806	5.2L-5.9L Magnum	Laminated Cork & Cut-resistant Fiber	.250"
VS50807	5.2L-5.9L Magnum	Steel Core Composite, Teflon Coated on One Side	.080"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS30520YTC	1970-1991 318, 340	Cork with Metal Carrier	
OS30520ZTC	1971-1991 360	Cork with Metal Carrier	
OS32493	1964 - 1969	Rubberized Fiber	.093"
OS32114	1991-2003 318	Molded Rubber / Steel Carrier w/ Load Limiters	.185"
OS32115	1991-2003 360	Molded Rubber / Steel Carrier w/ Load Limiters	.185"

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68056*	1964 - 1992	Viton 2pc	

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33305*	W8 Timing Cover Gasket	Laminated Fiber	.034"

Chrysler V8 Small Block 360

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68057*	1964 - 1992	Viton 2pc	

*New Part Number

CHRYSLER V8 BIG BLOCK

361, 383, 400, 413, 426, 440 Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55381	Wedge Head	Pre-flattened stainless steel wire	Solid Core Composite	4.410"	.040"	10
3464VC	Wedge Head		Graphite	4.430"	.045"	11.1
55057	Wedge Head		Multi-Layered Steel	4.350"	.040"	10
55058	Wedge Head		Multi-Layered Steel	4.380"	.040"	10.1

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20431*	Stock Port 1959 - 1980	1.760" x 1.450"	Graphite Composite w/ Expanded Steel Core	Rectangle	.093"
95026SG		1.430" x 1.750"	Graphite	Square	
MS20422*	Race Port 1959 - 1980	2.170" x 1.770"	Graphite Composite w/ Expanded Steel Core	Rectangle	.093"
MS19995	Max Wedge, Large Port Standard 6 Bolt Pattern, Indy 572, 600 and Mopar B1	1.700" x 1.500"	Graphite-Kevlar Composite w/ Perforated Steel Core	Square	.060"
MS20124		1.780" x 1.460"	Multi-Layered Steel		.030"
MS20420*	B1	2.300"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS19994	426/572 Street Hemi / Crate Hemi	1.745" x 1.745"	Graphite-Kevlar Composite w/ Perforated Steel Core	Square	.060"
MS20424*	Pro Stock Hemi, 4pc Gasket	2.300"	Graphite Composite w/ Expanded Steel Core	Round	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38322H		High Temp Cork with Metal Carrier	
VS50759	383-440 Wedge 6 Bolt Valve Covers	Molded Rubber / Steel Carrier w/ Load Limiters	.230"
VS50808	383-440 Wedge 6 Bolt Valve Covers	Steel Core Composite	.080"
VS50809	B1 Head	Steel Core Composite	.080"
VS50810	B1 Head	Laminated Cork/Composite	.125"
VS50811	B1 Head	Laminated Cork/Composite	.250"
VS50812	B1 T/S Head	Laminated Cork/Composite	.125"

*New Part Number

CHRYSLER V8 BIG BLOCK (cont.)

361, 383, 400, 413, 426, 440 Engines (cont.)

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50813	Koffel B1 T/S Head	Laminated Cork/Composite	.250"
VS50814	383-440 Wedge 6 Bolt Valve Covers	Laminated Cork/Composite	.125"
VS50815	383-440 Wedge 6 Bolt Valve Covers	Laminated Cork/Composite	.250"
VS50816	B1 Head	Fuel Resistant High Temperature Composite	.060"
VS50817	383-440 Wedge 6 Bolt Valve Covers	Fuel Resistant High Temperature Composite	.060"
VS50818	Koffel B1 T/S Head	Fuel Resistant High Temperature Composite	.060"
VS50819	Koffel B1 T/S Head	Steel Core Composite	.080"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS31416TC	Chrysler Factory Block	Cork with Metal Carrier	
OS32504	Chrysler Factory Block	Rubberized Fiber	.093"
OS32506	Chrysler Factory Block	Steel Core Laminate, Teflon Coated on One Side	.087"
OS32507	Chrysler Factory Block	Molded Rubber / Steel Carrier w/ Load Limiters	.185"

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68047*	2.75" Mains, Side Seals Not Included	Viton 2pc	
68082*	2.75" Mains, Side Seals Not Included	Silicone 2pc	

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33306*		Laminated Fiber	.034"

426 Hemi Engines

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50758		Molded Rubber / Steel Carrier w/ Load Limiters	.225"

*New Part Number

CHRYSLER V8 NITRO and ALCOHOL

426 Hemi Engines

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50820	Hemi NHRA .3125" Holes	Steel Core Composite, Teflon Coated on One Side	.080"
VS50821	Hemi NHRA .1250" Holes	Steel Core Composite, Teflon Coated on One Side	.080"
VS50822	BAE / AJPE Hemi	Steel Core Composite, Teflon Coated on One Side	.080"
VS50909*	Nitro and Alcohol Drag Racing Engines	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50920*	Nitro and Alcohol Drag Racing Engines	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50917*	BAE Cylinder Heads w/ 1/4" Fasteners	Steel Core Composite, Teflon Coated on Both Sides	.100"
VS50918*	BAE Cylinder Heads	Steel Core Composite, Teflon Coated on Both Sides	.100"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS32505	Chrysler Race Block, AJPE, BAE, KB	Steel Core Laminate, Teflon Coated on One Side	.087"
OS32579*	Rodeck TFX, TFX 92, Wide Design, 11.40" C/C, Scalloped Outer Perimeter	Steel Core Composite, Teflon Coated on Both Sides	.100"
OS32593*	Rodeck TFS 96, Narrow Design, 10.40" C/C	Steel Core Composite, Teflon Coated on Both Sides	.100"
OS32592*	BAE and KB Hemi	Steel Core Composite, Teflon Coated on Both Sides	.100"

FORD L6

240, 300 Engines

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20433*	Stock 1965 - 1987	1.350" x 1.670"	Graphite Composite w/ Expanded Steel Core	Square	.093"

FORD V8 DOHC COYOTE

5.0L Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55063	Left Side 2011 - 2015		Multi-Layered Steel	3.700"	.040"	9.2
55064	Right Side 2011 - 2015		Multi-Layered Steel	3.700"	.040"	9.2
55014	Left Side 2015 - Present	Stopper	Multi-Layered Steel	3.700"	.040"	7.2
55015	Right Side 2015 - Present	Stopper	Multi-Layered Steel	3.700"	.040"	7.2

*New Part Number

FORD V8 DOHC COYOTE (cont.)

5.0L Engines (cont.)

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20413*	DOHC Coyote 32 Valve	1.900"	Graphite Composite w/ Expanded Steel Core	Round	.093"

FORD V8 SOHC MODULAR

4.6L Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55065	3V Left Side 2005 - 2010		Multi-Layered Steel	3.700"	.030"	5.4
55066	3V Right Side 2005 - 2010		Multi-Layered Steel	3.700"	.030"	5.4

5.4L Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55069	3V Left Side 2004 - 2014		Multi-Layered Steel	3.700"	.030"	5.4
55070	3V Right Side 2004 - 2014		Multi-Layered Steel	3.700"	.030"	5.4

FORD V8 MODULAR SOHC / DOHC

4.6L, 5.4L Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55067	Left Side		Multi-Layered Steel	3.662"	.030"	5.1
55068	Right Side		Multi-Layered Steel	3.662"	.030"	5.1

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS32517		Molded Rubber / Steel Carrier w/ Load Limiters	.185"

FORD V8 SMALL BLOCK

260, 289, 302, 351W Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55256*		Pre-flattened stainless steel wire	Solid Core Composite	4.100"	.040"	8.7
55059			Multi-Layered Steel	4.080"	.040"	8.6
55060			Multi-Layered Steel	4.155"	.040"	9
3428SG			Solid Core Composite	4.080"	.042"	9.4

*New Part Number

FORD V8 SMALL BLOCK (cont.)

260, 289, 302, 351W Engines (cont.)

Cylinder Head Gaskets (cont.)

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
3428SCR			Solid Core Composite	4.080"	.042"	8.8

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20069	Stock w/ Small Race Port, World Products Windsor and Widsor Aluminum	1.100" x 2.000"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20070	FORD Motorsport GT40, N351 Sportsman, Edelbrock Victor Junior, TFS Twisted Wedge and Brodix T1F	1.315" x 2.150"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20071	Trick Flow R Series	1.370" x 2.300"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20072	SVO Yates C3 Large Port	1.850" x 2.225"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20073	SVO Yates C3, M5049 C302	1.475" x 2.310"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20076	Edelbrock Victor XL Port 18 Degree and 15 Degree Heads	1.500" x 2.250"	Laminated Fiber, Silicone Bead Sealed Ports		.060"
MS20232*	Large Race Port, TFS, GT-40, N	1.280" x 2.100"	Steel Core / Composite / Non Stick Coating		.060"
MS20303*	C3 Ford SVO Yates	1.350" x 1.950"	Steel Core / Composite / Non Stick Coating		.060"
MS20385*	M6049-C3 Ford SVO Yates	1.350" x 1.950"	Steel Core / Composite / Non Stick Coating		.045"
MS20389*	Stock and Small Race Port	1.200" x 2.000"	Steel Core / Composite / Non Stick Coating		.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95025SG		1.130" x 1.530"	Graphite		
MS19998	Flowtech, Headman with Standard Bolt Pattern	1.075" x 1.785"	Graphite-Kevlar Composite w/ Perforated Steel Core	Oval	.060"
MS19999	SVO N351 Sportsman, Brodix T1F	1.600" x 1.775"	Graphite-Kevlar Composite w/ Perforated Steel Core	Oval	.060"

*New Part Number

FORD V8 SMALL BLOCK (cont.)

260, 289, 302, 351W Engines (cont.)

Exhaust Header Gaskets (cont.)

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20000	Trick Flow R Series, Pro Action/RHS Angled Bolt Pattern	1.875"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS20001	SVO C302 / B351	1.750"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS20002	SVO Yates, M6049 C302	2.000" x 1.750"	Graphite-Kevlar Composite w/ Perforated Steel Core	Square	.060"
MS20125	351W	1.520" x 1.570"	Multi-Layered Steel	Square	.030"
MS20126	N351	1.127" x 1.750"	Multi-Layered Steel		.030"
MS20127	Yates, 8 Ind Ports	1.725" x 1.890"	Multi-Layered Steel	Square	.030"
MS20268*	Dart and TFS, E351, Dual Bolt Pattern, Stock Ford and Inline Spread Bolt Dart and TFS	1.420" x 1.620"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20275*	J302 and K302, Dual Bolt Pattern Stock Ford and Splayed AR	1.400" x 1.400"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20411*	High Port Heads	1.375" x 1.560"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20412*	SVT Lightning	1.210" x 1.410"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20432*	Small Race Port	1.250" x 1.480"	Graphite Composite w/ Expanded Steel Core	Square	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38300H		High Temp Cork with Metal Carrier	
VS50203		Molded Rubber w/ Backbone	
VS50756		Molded Rubber / Steel Carrier w/ Load Limiters	.225"
VS50788	FORD 289-351W all	Steel Core Composite, Teflon Coated on One Side	.080"
VS50791	FORD 289-351W, 5.0L	Laminated Cork/Composite	.250"
VS50792	FORD 289-351W, 5.0L	Laminated Cork/Composite	.125"
VS50793	FORD 289-351W, 5.0L	Fuel Resistant High Temperature Composite	.060"

*New Part Number

FORD V8 SMALL BLOCK (cont.)

260, 289, 302, 351W Engines (cont.)

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS30541	1969-1993 351W	Cork with Metal Carrier	
OS32516		Rubberized Fiber	.093"
OS32490	1969-1993 351W	Rubberized Fiber	.093"
OS32491	1962-1982 260-302 Windsor, 1983-1995 5.0L Windsor	Molded Rubber / Steel Carrier w/ Load Limiters	.185"
OS32333*	1969-1987	Molded Rubber / Steel Carrier w/ Load Limiters	.135"
OS32492	1969-1997 351W	Molded Rubber / Steel Carrier w/ Load Limiters	.185"

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33307*	302, 351W SVO Engines	Laminated Fiber	.034"

351C, 351 Boss, 351CJ, 351M, 400 Engines

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20074	Stock 2 Barrel	1.515" x 2.140"	Laminated Fiber, Silicone Bead Sealed Ports	Rounded Rectangle	.060"
MS20075	Stock 4 Barrel	1.900" x 2.660"	Laminated Fiber, Silicone Bead Sealed Ports	Rounded Rectangle	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95081SG		1.600" x 1.950"	Graphite		
MS20269*	4bbl Heads 1970 - 1974	1.890" x 2.190"	Graphite Composite w/ Expanded Steel Core	Stock	.093"
MS20435*	2bbl Heads 1970 - 1982	1.560" x 1.980"	Graphite Composite w/ Expanded Steel Core	Oval	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS50787	FORD 351C-400M, Boss 302 & SVO/Yates Cylinder Heads	Steel Core Composite	.080"
VS50789	FORD 351C-400M, Boss 302 & SVO/Yates Cylinder Heads	Laminated Cork/Composite	.125"
VS50790	FORD 351C-400M, Boss 302 & SVO/Yates Cylinder Heads	Laminated Cork/Composite	.250"
VS50794	FORD 351C-400M, Boss 302 & SVO/Yates Cylinder Heads	Fuel Resistant High Temperature Composite	.060"

*New Part Number

FORD V8 SMALL BLOCK (cont.)

351C, 351 Boss, 351CJ, 351M, 400 Engines (cont.)

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS30543	Cleveland / Modified	Cork with Metal Carrier	
OS32518	Cleveland / Modified	Rubberized Fiber	.093"

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33304*		Laminated Fiber	.034"

FORD V8 BIG BLOCK

332, 352, 390, 406, 427, 428, 428CJ, 428SCJ Engines

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20083	FE Medium Riser, Edelbrock Performer RPM FE	1.400" x 2.100"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
95009SG		1.460" x 2.400"	Graphite		
MS20386*	FE Medium Riser	1.400" x 2.100"	Steel Core / Composite / Non Stick Coating		.060"
MS20392*	Std Low Riser, 428 CJ, 428 SCJ	1.400" x 2.340"	Steel Core / Composite / Non Stick Coating		.060"
MS20395*	Std Low Riser, 428 CJ, 428 SCJ	1.400" x 2.340"	Laminated Fiber		.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20223*	FE Medium Riser with 16 bolts	1.400" x 1.900"	Graphite w/ Perforated Steel Core	Rectangle	.060"
MS20271*	428 Thunder Bird with 10 Bolts in Gasket 1966 - 1967	1.430" x 2.120"	Graphite Composite w/ Expanded Steel Core	Rectangle	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38308R	352-428SCJ BBF	High Temp Cork with Metal Carrier	
VS50799	352-428 FE	Laminated Cork/Composite	.125"
VS50800	352-428 FE	Laminated Cork/Composite	.250"
VS50801	352-428 FE	Fuel Resistant High Temperature Composite	.060"

*New Part Number

FORD V8 BIG BLOCK (cont.)

332, 352, 390, 406, 427, 428, 428CJ, 428SCJ Engines (cont.)

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68060*	FE V8	Silicone 2pc	

429, 460 Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55061			Multi-Layered Steel	4.440"	.040"	10.1

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20077	Stock Oval Port, Exc CJ/SCJ	2.000" x 2.250"	Laminated Fiber	Oval	.060"
MS20078	Cobra Jet, Super Cobra Jet Oval Port	2.200" x 2.560"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20079	FORD Racing A460, TFS A460	1.860" x 2.520"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20080	FORD Racing A460, TFS A460	1.860" x 2.520"	Laminated Fiber	Rectangle	.120"
MS20081	FORD Racing M6049 B460	1.800" x 1.950"	Laminated Fiber, Silicone Bead Sealed Ports	Oval	.060"
MS20082	FORD Racing C460 Wedge	1.800" x 2.600"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
95109SG	Stock Oval Port, Exc CJ/SCJ	1.980" x 2.260"	Graphite		
95074SG	Cobra Jet, Super Cobra Jet Oval Port	2.230" x 2.600"	Graphite		
MS20237*	C460	2.240" x 2.600"	Steel Core / Composite / Non Stick Coating		.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95091SG	Except CJ, SCJ	1.500" x 2.100"	Graphite	Oval	
MS19996	Cobra Jet, Super Cobra Jet and FORD Racing 460 Sportsman Heads	1.520" x 2.500"	Graphite-Kevlar Composite w/ Perforated Steel Core	Oval	.060"
MS19997	FORD Racing A460, 2000 and Later Design with 4.900" Bore Centers	2.020" x 2.070"	Graphite-Kevlar Composite w/ Perforated Steel Core	Rounded Rectangle	.060"
MS20128			Multi-Layered Steel	Oval	.030"

*New Part Number

FORD V8 BIG BLOCK (cont.)

429, 460 Engines (cont.)

Exhaust Header Gaskets (cont.)

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20406*	Racing Wedge Head	2.350"	Graphite Composite w/ Expanded Steel Core	Round	.093"
MS20421*	Pro Stock Hemi	2.200" x 1.500"	Graphite Composite w/ Expanded Steel Core	Rectangle	.093"
MS20434*	Exc C460 Heads, 1968 - 1987	1.550" x 2.350"	Graphite Composite w/ Expanded Steel Core	Oval	.093"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38421	1968-1987 429-460	Cork with Metal Carrier	
VS50795	1968-1987 429-460	Steel Core Composite	.080"
VS50796	1968-1987 429-460	Laminated Cork/Composite	.125"
VS50797	1968-1987 429-460	Laminated Cork/Composite	.250"
VS50798	1968-1987 429-460	Fuel Resistant High Temperature Composite	.060"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS30540TC	1968-1988 All	Cork with Metal Carrier	
OS32520	1968-1989 429, Exc Boss, 460	Rubberized Fiber	.093"
OS32494	1968-1998 429, 460	Molded Rubber / Steel Carrier w/ Load Limiters	.185"

Rear Main Seal

Part No	Application Notes	Materials/Construction	Thickness
68051*	3.00" Mains	Silicone 2pc	

OLDSMOBILE V8

330, 350, 400, 403, 425, 455 Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55047			Multi-Layered Steel	4.200"	.040"	9.2

*New Part Number

OLDSMOBILE V8 (cont.)

330, 350, 400, 403, 425, 455 Engines (cont.)

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20093	Stock Small Block	1.320" x 2.025"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20094	Stock Big Block and Edelbrock Performer RPM	1.500" x 2.575"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20095	Batten Head as Cast	1.350" x 2.250"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
MS20096	Batten Head Ported	1.500" x 2.530"	Laminated Fiber, Silicone Bead Sealed Ports	Rectangle	.060"
95014SG	Stock Big Block and Edelbrock Performer RPM	1.400" x 2.430"	Graphite	Stock	

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
95028SG	Stock	1.790" x 2.300"	Graphite	Square	
MS19988	Batten Head	1.800" x 1.575"	Graphite-Kevlar Composite w/ Perforated Steel Core	Square	.060"
MS20129	Stock	1.450" x 1.920"	Multi-Layered Steel	Square	.030"
MS20288*	Stock	1.550" x 2.080"	Graphite w/ Perforated Steel Core	Square	.060"
MS20289*	Stock	1.550" x 1.950"	Graphite w/ Perforated Steel Core	Square	.060"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38305	Stock, Edelbrock Performer RPM, Batten	Cork with Metal Carrier	
VS50825	Stock, Edelbrock Performer RPM, Batten	Fuel Resistant High Temperature Composite	.060"
VS50826	Stock, Edelbrock Performer RPM, Batten	Laminated Cork/Composite	.125"
VS50827	Stock, Edelbrock Performer RPM, Batten	Laminated Cork/Composite	.250"
VS50921	Stock Oldsmobile Bolt Pattern	Molded Rubber / Steel Carrier w/ Load Limiters	.225"

*New Part Number

OLDSMOBILE V8 (cont.)

330, 350, 400, 403, 425, 455 Engines (cont.)

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS30534TC	1965-1976 All V8	Cork with Metal Carrier	
OS32510	1965-1976 All V8	Rubberized Fiber	.093"
OS32501	1965-1976 All V8	Steel Core Laminate, Teflon Coated on One Side	.087"

Timing Cover Gasket

Part No	Application Notes	Materials/Construction	Thickness
T33303*	Standard Shaped Timing Cover Gasket	Laminated Fiber	.034"

PONTIAC L4

151 Engines

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20417*	Super Duty Heads, Exc 801 Head	1.150" x 1.640"	Graphite Composite w/ Expanded Steel Core	Square	.093"
MS20418*	Exc Super Duty Head	1.550" x 1.500"	Graphite Composite w/ Expanded Steel Core	Square	.093"

PONTIAC V8

326, 350, 400, 428, 455 Engines

Cylinder Head Gaskets

Part No	Application Notes	Combustion Seal	Materials/Construction	Bore	Thickness	Volume
55048			Multi-Layered Steel	3.950"	.040"	8.8
55049			Multi-Layered Steel	4.160"	.040"	9.1
55050			Multi-Layered Steel	4.200"	.040"	9.3

Intake Manifold Gasket Sets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20097	Stock Port	1.075" x 2.025"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20098	Modified Port	1.060" x 2.100"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20099	Modified Port	1.125" x 2.240"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20100	Modified Port, Extra Material at Top for Porting	1.125" x 2.240"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"

*New Part Number

PONTIAC V8 (cont.)**326, 350, 400, 428, 455 Engines (cont.)****Intake Manifold Gasket Sets (cont.)**

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS20101	Modified Port	1.175" x 2.300"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20102	Modified Port	1.135" x 2.350"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"
MS20103	Ram Air / Super Duty, Edelbrock Preformer and Edelbrock Preformer RPM	1.075" x 2.200"	Laminated Fiber, Silicone Bead Sealed Ports	Stock	.060"

Exhaust Header Gaskets

Part No	Application Notes	Port Size	Materials/Construction	Port Shape	Thickness
MS19989	Gasket Match 455cid Factory Heads with "D" Center ports and Oval Outers	1.900"	Graphite-Kevlar Composite w/ Perforated Steel Core	D-Port	.060"
MS19990	Stock, Edelbrock Preformer and Edelbrock Preformer RPM heads	1.875"	Graphite-Kevlar Composite w/ Perforated Steel Core	Round	.060"
MS20272*	Exc 1968 400 Ram Air w/ Eng Codes WU, WY, XT, XW, 1969 - 1970 400 Ram Air IV, 1971 - 1974 455 HO and Super Duty, Open Center	1.530" x 2.000"	Graphite Composite w/ Expanded Steel Core	Oval	.093"
MS20130			Multi-Layered Steel	D-Port	.030"

Valve Cover Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
VS38291XH		Cork with Metal Carrier	
VS50754		Molded Rubber / Steel Carrier w/ Load Limiters	.245"
VS50823		Laminated Cork/Composite	.125"
VS50824		Laminated Cork/Composite	.250"

Oil Pan Gasket Sets

Part No	Application Notes	Materials/Construction	Thickness
OS32508	1959-1976 All V8 Includes 3 and 5 Tab Rear Seals	Rubberized Fiber	.093"
OS32509	1959-1974 All V8	Molded Rubber / Steel Carrier w/ Load Limiters	.185"

*New Part Number

PONTIAC V8 (cont.)**326, 350, 400, 428, 455 Engines (cont.)****Timing Cover Gasket**

Part No	Application Notes	Materials/Construction	Thickness
T33302*	Standard Shaped Timing Cover Gasket	Laminated Fiber	.034"

Carb Base Gaskets**Carter ABF 4 Hole 1.750"****Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33454*	1.750" Diameter 4-Hole 4bbl, Exc Spread Bore, 4500	Laminated Fiber	.030"

Holley 2BBL 2 Hole**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G26765*	1.750" Diameter 2-Hole 2bbl	Laminated Fiber	.060"

Holley 4150 4 Hole 1.750"**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G26761*	1.750" Diameter 4-Hole 4 bbl, Exc. Spread Bore, 4500	Laminated Fiber	.060"

Holley 4150 4 Hole 1.760" NASCAR Plenum**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33456*	1.760" Diameter 4-Hole 4bbl, Exc Spread Bore, 4500	Laminated Fiber	.060"

Holley 4150 Open**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G26760*	Open Plenum 4 bbl, Exc. Spread Bore, 4500	Laminated Fiber	.060"
G33212*	Open Plenum 4 bbl	Laminated Fiber	.039"

Holley 4150 Open NASCAR Plenum**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33455*	4-Hole 4bbl, Exc Spread Bore, 4500	Laminated Fiber	.060"

*New Part Number

Carb Base Gaskets (cont.)**Holley 4500 2 Hole Split 2.1875"****Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33453*	2.1875" Diameter 2-Hole 2bbl, Split 4500, Closed Throttle Bores	Laminated Fiber	.060"

Holley 4500 4 Hole 2.062"**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33213*	2.0625" Diameter 4-Hole 4bbl, 4500	Laminated Fiber	.060"

Holley 4500 4 Hole 2.250"**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G33214*	2.250" Diameter 4-Hole 4bbl, 4500	Laminated Fiber	.060"

Holley 4500 Open**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G26764*	Open Plenum 4 bbl, 4500	Laminated Fiber	.060"

Q Jet Spread Bore**Carb Base Gaskets**

Part No	Application Notes	Materials/Construction	Thickness
G26762*	Open Plenum 4 bbl, Spread Bore	Laminated Fiber	.060"

Exhaust Collector Gasket**Round Multi Hole 2.875" Dia****Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20413SG*	3.750" Bolt Circle .4375" Bolts	Graphite Composite w/ Expanded Steel Core	.093"

Round Multi Hole 3.000" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20415SG*	3.625" Bolt Circle	Graphite Composite w/ Expanded Steel Core	.093"

Exhaust Collector Gasket (cont.)**Round Multi Hole 3.375" Dia****Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20414SG*	4.375" 3 Bolt / 4.500" 4 Bolt .375" Bolts	Graphite Composite w/ Expanded Steel Core	.093"

Round Multi Hole 3.500" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20420SG*	4.125" Bolt Circle	Graphite Composite w/ Expanded Steel Core	.093"

Square 4 Bolt Flange 2.500" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20411SG*	3.3125" Bolt Circle	Graphite Composite w/ Expanded Steel Core	.093"

Square 4 Bolt Flange 3.000" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20421SG*	4.0625" Bolt Circle	Graphite Composite w/ Expanded Steel Core	.093"

Square 4 Bolt Flange 3.500" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20422SG*	4.5625" - 5.000" Slot	Graphite Composite w/ Expanded Steel Core	.093"

Triangular 3 Bolt Flang 2.500" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20410SG*	3.500" Bolt Circle	Graphite w/ Perforated Steel Core	.060"

Triangular 3 Bolt Flang 2.750" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F12381SG*	3.500" Bolt Circle	Graphite w/ Perforated Steel Core	.060"

*New Part Number

Exhaust Collector Gasket (cont.)**Triangular 3 Bolt Flang 3.000" Dia****Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20417SG*	3.875" Bolt Circle	Graphite w/ Perforated Steel Core	.060"

Triangular 3 Bolt Flang 3.500" Dia**Exhaust Collector Gasket**

Part No	Application Notes	Materials/Construction	Thickness
F20416SG*	4.4375" Bolt Circle	Graphite w/ Perforated Steel Core	.060"

Axle Housing Cover Diff Seal**Dana 44 Rear Differential****Axle Housing Cover Diff Seal**

Part No	Application Notes	Materials/Construction	Thickness
P33283*		Steel Core Composite, Teflon Coated	.035"

Dana 60 Rear Differential**Axle Housing Cover Diff Seal**

Part No	Application Notes	Materials/Construction	Thickness
P33282*		Steel Core Composite, Teflon Coated	.035"

Ford 9" Rear Differential 10 Bolt**Axle Housing Cover Diff Seal**

Part No	Application Notes	Materials/Construction	Thickness
P33252*	Standard Ring Gear Clearance	Laminated Fiber, Teflon Coated	.030"
P33266*	Extra Ring Gear Clearance	Steel Core Composite, Teflon Coated	.035"
P33475*	Extra Ring Gear Clearance w/ Internal Oil Pump	Steel Core Composite, Teflon Coated on Both Sides	.031"

GM 12 Bolt Rear Differential**Axle Housing Cover Diff Seal**

Part No	Application Notes	Materials/Construction	Thickness
P33284*		Steel Core Composite, Teflon Coated	.035"

Axle Housing Cover Diff Seal (cont.)

Quick Change Rear Differential 10 Bolt

Axle Housing Cover Diff Seal

Part No	Application Notes	Materials/Construction	Thickness
P33215*		Laminated Fiber, Teflon Coated	.030"
P33216*		Steel Core Composite, Teflon Coated	.035"

Supercharger Burst Plate

Supercharger Burst Plate

Supercharger Burst Plate

Part No	Application Notes	Materials/Construction	Thickness
B33520*	Supercharger Burst Plate Gasket Rectangular	Steel Core Composite, Teflon Coated on Both Sides	.100"

*New Part Number

MAHLE	Fel-Pro	MAHLE	Fel-Pro	MAHLE	Fel-Pro
55255	1003 / 1010	MS20382	1211S-3	MS20045	12755
55261	1004	MS20039	1212	MS20301	1275S-3
55381	1009	MS20236	1212S-3	MS20394	1281-2
55256	1011-1 / 1011-2	MS20085	1213	MS20300	1281-3
55257	1014 / 1034	MS20388	1213S-3	MS20393	1281-4
55258	1017-1 / 1047	MS20079	12213	MS20012	1282
55259	1027 / 1037	MS20080	12215	MS20013	1282S
55382	1043	MS20070	1228	MS20302	1282-S
55260	1057 / 1067	MS20072	1229	MS20015	1289
55033	1071	MS20071	1230	MS20046	1290
55037	1071	MS20078	1231	MS20024	1296
55035	1075	MS20237	1231S-3	MS20040	1298
55039	1075	MS20101	1233	MS20086	13003
55036	1077	MS20081	12353	MS20087	13005
55040	1077	MS20384	1237S-2	MS20056	1312-1
55059	1133	MS20025	12373	MS20057	1312-3
55060	1134	MS20391	1237S-3	MS20058	1312-5
55065	1141L	MS20043	1239	MS20094	1356
55067	1141L	MS20074	1240	MS20104	1357
55069	1141L	MS20021	1242	MS20387	1384S-2
55066	1141R	MS20084	1243	MS20383	1384S-3
55068	1141R	MS20395	1246	MS20390	1384S-4
55070	1141R	MS20392	1246S-3	MS20270	1400
55028	1142	MS20083	1247	MS20425	1401
55031	1143	MS20386	1247S-3	MS20426	1402
55032	1144	MS20041	1249	MS20274	1403
55041	1160 L-053 / 1160 R-053	MS20069	1250	MS20410	1404
55043	1161 L-053 / 1161 R-053	MS20389	1250S-3	MS19975	1405
55045	1162 L-053 / 1162 R-053	MS20385	1253S-2	MS19985	1406
55057	26515-041	MS20303	1253S-3	MS19984	1407
55058	26515-041	MS20020	1254	MS19983	1408
55051	26588L-032	MS20009	1255	MS19977	1409
55052	26588R-032	MS20010	1256	MS20409	1410
MS20014	1205	MS20023	1259	MS19986	1411
MS20235	1205S-3	MS20070	1262	95100SG	1412
MS20017	1206	MS20071	1262R	MS20408	1412
MS20230	1206S-3	MS20232	1262S-3	MS20430	1413
MS20019	1207 / 1209	MS20016	1263	MS20431	1414
MS20042	1211	MS20073	1265	MS20432	1415
		MS20018	1266	MS20269	1416
		MS20022	1267	MS20000	1417
		MS20044	1275 / 12523	MS20434	1419

MAHLE	Fel-Pro	MAHLE	Fel-Pro	MAHLE	Fel-Pro
MS19996	1420	MS20429	1483	VS50918	1665
MS19997	1422	MS20271	1485	VS50917	1665-1
MS20272	1423	MS20275	1486	VS50828	1678
MS19990	1424	MS19987	1490	VS50756	1684
MS20418	1425	MS20404	1491	VS50788	1684
MS19982	1426	MS20420	1492	VS50812	1695
MS19999	1427	MS20421	1493	VS50813	1695
MS20405	1428	MS20118	1495	OS32522	1802
MS20419	1429	MS20120	1496	OS32523	1803
MS20435	1430	MS20122	1497	OS32511	1804
MS20001	1431	MS20422	1498	OS32493	1805 / 1806
MS19991	1432	MS20413	1500	OS32504	1808
MS20002	1433	VS50769	1604	OS32516	1809
MS19971	1434	VS50777	1606	OS32490	1810
MS20424	1435	VS50803	1609	OS32518	1811
MS19989	1436	VS50814	1611	OS32520	1812
MS19981	1437	VS50815	1611	OS32508	1814
MS20286	1438	VS50808	1612	OS32505	1834
MS20289	1439	VS50792	1613	OS32592	1834
MS20287	1440	VS50789	1615	OS32593	1838
MS20417	1441	VS50823	1623	OS32525	1839
MS20223	1442	VS50824	1627	OS32513	1863
MS20223	1442	VS50755	1628	OS32514	1866
MS20406	1443	VS50821	1629	OS32457	1880
MS20407	1444	VS50778	1630	OS32484	1884R
MS20273	1445	VS50775	1634	OS32487	1891
MS19979	1446	VS50757	1635	OS32512	1893
MS20433	1447	VS50790	1636	OS32579	1894
MS20428	1448	VS50762	1638	G26760	1900
MS20276	1449	VS50763	1641	G26761	1901
MS19980	1456 / 1484	VS50795	1643	G26762	1902
MS19994	1462	VS50765	1644	G26764	1903
MS20427	1463	VS50791	1645	G26765	1904
MS20423	1465	VS50804	1646	G33214	1910
MS20403	1466	VS50768	1648	G33213	1912
MS19998	1467	VS50802	1650 / 1681	G33454	1913
MS20412	1468	VS50764	16551	G33212	1914
MS19976	1470	VS50909	1657	G33456	1930
MS19973	1479	VS50921	1658	G33455	1935
MS19992	1480	VS50776	1660	G33453	1950
MS20411	1481	VS50773	1664	F12381SG	2000
MS19978	1482	VS50822	1665	F12381SG	2000

MAHLE	Fel-Pro
F20417SG	2001
F20417SG	2001
F20416SG	2003
F20416SG	2003
F20411SG	2004
F20421SG	2005
F20422SG	2006
F20413SG	2007
F20415SG	2010
F20420SG	2012
F20414SG	2013
F20410SG	2014
F20410SG	2014
C33442	2201
C33461	2202
C33440	2205
C33441	2206
P33252	2301
P33266	2302
P33475	2302-1
P33215	2303
P33282	2310
T33301	2324
T33254	2330
T33307	2331
T33305	2332
T33439	2335
JV5256	2702
JV5271	2703
68053	2900
68054	2904
68045	2918
68044	2919
68046	2920
68047	2947
68051	2948

MAHLE	SCE	MAHLE	SCE	MAHLE	SCE
MS19971	129080	MS20018	111103	MS20060	219102
MS19972	129081	MS20019	211107	MS20061	119106
MS19973	171080	MS20019	211107	MS20062	219107
MS19974	171081	MS20020	211121	MS20063	219108
MS19975	111080	MS20021	211115	MS20064	119104
MS19976	111087	MS20022	111113	MS20065	219103
MS19976	111087	MS20023	211129	MS20066	119105
MS19977	111083	MS20024	211104	MS20069	236101
MS19978	111089	MS20025	211114	MS20070	236102
MS19979	111286	MS20026	211137	MS20071	236108
MS19980	111284	MS20027	211130	MS20072	252105
MS19980	111284	MS20028	211125	MS20073	252107
MS19981	111085	MS20029	211135	MS20074	252101
MS19982	111081	MS20030	211123	MS20075	252103
MS19983	111084	MS20031	211124	MS20076	236103
MS19984	111285	MS20032	211131	MS20077	135101
MS19985	111082	MS20033	111120	MS20078	235102
MS19986	113080	MS20034	111106	MS20079	235104
MS19987	113084	MS20035	111105	MS20080	135106
MS19988	179082	MS20036	211127	MS20081	235103
MS19989	128080	MS20037	211132	MS20083	234101
MS19990	128081	MS20039	213101	MS20084	269101
MS19991	169081	MS20040	218101	MS20085	269104
MS19992	169082	MS20041	213140	MS20086	269105
MS19993	169084	MS20042	213102	MS20087	169108
MS19994	166080	MS20043	113103	MS20093	279101
MS19995	164080	MS20044	213115	MS20094	279102
MS19996	135081	MS20044	213115	MS20095	279103
MS19997	135082	MS20045	113116	MS20096	279104
MS19998	136083	MS20046	213100	MS20097	228101
MS19999	136082	MS20047	213105	MS20098	228102
MS20000	136084	MS20048	213104	MS20099	228103
MS20001	152083	MS20049	213108	MS20100	228104
MS20002	152081	MS20050	213107	MS20101	228105
MS20009	211119	MS20051	218108	MS20102	228106
MS20010	211101	MS20052	218102	MS20103	228107
MS20012	211118	MS20053	218104	MS20104	271101
MS20013	211122	MS20054	118105	MS20105	271102
MS20014	211102	MS20056	119133	MS20106	271103
MS20015	211136	MS20057	219134	MS20107	271104
MS20016	211126	MS20058	119135	MS20108	229101
MS20017	211128	MS20059	119101	MS20109	129106

MAHLE	SCE	MAHLE	SCE	MAHLE	SCE
OS32457	211093	VS50777	213075	VS50819	265078
OS32484	213090	VS50778	213076	VS50820	261075
OS32487	213192	VS50779	213079	VS50821	266075
OS32488	113094	VS50780	218178	VS50822	263075
OS32490	136091	VS50781	218077	VS50823	228175
OS32493	169090	VS50782	221078	VS50824	228176
OS32496B	211092	VS50783	215178	VS50825	279178
OS32501	279090	VS50784	250178	VS50826	279175
OS32502	171090	VS50785	255178	VS50827	279176
OS32503	129090	VS50786	295178	VS50828	271176
OS32504	164090	VS50787	252178	VS50829	271175
OS32505	266091	VS50788	263178	VS50830	171076
OS32506	264090	VS50789	252175	VS50831	229075
OS32507	264092	VS50790	252176	VS50832	229076
OS32508	128090	VS50791	236176		
OS32509	228090	VS50792	236175		
OS32510	179090	VS50793	236177		
OS32511	113090	VS50794	252177		
OS32512	213194	VS50795	235178		
OS32513	213195	VS50796	235175		
OS32514	213091	VS50797	235176		
OS32516	136090	VS50798	235177		
OS32518	152090	VS50799	234175		
OS32520	135090	VS50800	234176		
OS32522	111091	VS50801	234177		
OS32523	111090	VS50802	269178		
OS32525	211098	VS50803	269175		
VS50762	211276	VS50804	269176		
VS50763	211274	VS50805	269171		
VS50764	211273	VS50806	269172		
VS50765	211178	VS50807	269179		
VS50766	211174	VS50808	264078		
VS50767	211172	VS50809	264072		
VS50768	211078	VS50810	264077		
VS50769	211076	VS50811	264079		
VS50770	211071	VS50812	265075		
VS50771	211278	VS50813	265076		
VS50772	211073	VS50814	264075		
VS50773	218078	VS50815	264076		
VS50774	218075	VS50816	264071		
VS50775	218076	VS50817	264074		
VS50776	213078	VS50818	265077		

MAHLE	Cometic	MAHLE	Cometic	MAHLE	Cometic
55014	H3213SPF040S	55054	C5633-040	MS20121	C5350-030
55015	H3212SPF040S	55055	C5622-040	MS20122	C5251-030
55028	C5245-040	55056	C5457-040	MS20123	C5901-030
55031	C5248-040	55057	C5460-040	MS20124	C5902-030
55032	C5249-040	55058	C5461-040	MS20125	C15176-030
55033	C5816-040	55059	C5480-040	MS20126	C5899-030
55034	C5330-040	55060	C5483-040	MS20127	C5665-040
55035	H1174SPP040S	55061	C5666-040	MS20128	C5900-030
55036	C5331-040	55063	C5287-040	MS20129	C5904-030
55037	C5332-040	55064	C5286-040	MS20130	C5905-030
55038	C5333-040	55065	C5969-030	VS50754	C5044
55039	H1177SP2040S	55066	C5970-030	VS50755	C5973
55040	C5334-040	55067	C5118-030	VS50756	C5974
55041	C5475-051	55067	C5118-030	VS50757	C5975
55042	C5751-051	55068	C5119-030	VS50758	C5976
55043	C5489-051	55068	C5119-030	VS50759	C5983
55044	C5317-051	55069	C5971-030		
55045	C5319-051	55070	C5972-030		
55046	C5754-040	MS20113	C5892-030		
55047	C5809-040	MS20114	C5891-030		
55048	C5710-040	MS20115	C5894-030		
55049	C5711-040	MS20116	C5893-030		
55050	C5769-040	MS20117	C5897-030		
55051	C5467-027	MS20118	C5896-030		
55052	C5468-027	MS20119	C5349-030		
55053	C5876-040	MS20120	C5996-030		

MAHLE



PERFORMANCE

MAHLE

PERFORMANCE



National Institute for
AUTOMOTIVE
SERVICE
EXCELLENCE



MAHLE Aftermarket Inc.
23030 MAHLE Drive
Farmington Hills, MI 48335
Phone +1 (800) 338-8786
Fax +1 (248) 596-8899

MAHLE Aftermarket S de RL de CV
Km. 53.750 Carretera México-Toluca
Zn Ind. Dona Rosa, Letra E, Interior 1A
Col. Parque Industrial Lerma, 52000, Lerma, Mexico
Teléfono: +52 722 2624530
Fax: +52 722 2624550

www.mahle-aftermarket.com
www.mpulse.mahle.com

PRINTED IN NORTH AMERICA

